

Wood Joining & Glues



Woodworking Adhesives



Franklin International (Titebond) is the largest manufacturer of wood glues in the world and has a glue to suit every woodworker - from the pro to the cabinetmaker to the DIYer. Used every day across the world, Titebond is the first choice for woodworkers everywhere. Titebond is an environmentally friendly adhesive that uses advances in adhesive technology to ensure the strongest bond and solve technical problems.

Bulk discount available*

Online VIDEO available



Titebond Original Wood Glue

For interior use, providing a strong initial tack and fast set to reduce clamp time. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. Easy to use, non-toxic and cleans up with water

- Type - Aliphatic Resin
- Suitable for wood, cloth and leather
- Interior use only
- Open time 5 minutes, assemble 10-15 minutes
- Initial Tack time 30 mins, set time 24 hours

	Inc.vat	Ex.vat	Code
237ml (8floz)	£4.14	£3.45	600203
473ml (16floz)	£6.65	£5.54	600204
3.8 litres (1 US Gall)	£27.44	£22.87	600205
19 litres (5 US Gall)	£109.96	£91.63	952201

Bulk discount available*

Online VIDEO available



Titebond II Premium Wood Glue

Water resistant for interior and exterior woodworking projects, provides a strong initial tack, fast speed of set, superior strength and excellent sandability and unaffected by finishes. It is FDA approved for indirect food contact (cutting boards) and is ideal for radio frequency (R-F) gluing systems. Passes the ANSI Type II water-resistance specification.

- Type - Crosslinking PVA
- Suitable for wood, cloth and leather
- Interior & exterior use
- Open time 5 minutes, assemble 10-15 minutes
- Initial Tack time 30 mins, set time 24 hours

	Inc.vat	Ex.vat	Code
237ml (8floz)	£4.94	£4.12	600207
473ml (16floz)	£8.04	£6.70	600208
3.8 litres (1 US Gall)	£32.94	£27.45	600209
19 litres (5 US Gall)	£129.95	£108.29	952202

Bulk discount available*

Online VIDEO available



Titebond III Ultimate Wood Glue

Strong waterproof glue for exterior projects, providing a strong initial tack and fast set to reduce clamp time. Clean up with water whilst wet when dry has excellent sandability and is unaffected by finishes, solvent, heat and mildew resistant. ANSI/HPVA Type I water-resistance, non-toxic and solvent free, FDA approved for indirect food contact (cutting boards). The ultimate in wood glues.

- Type - Advanced Proprietary Polymer
- Suitable for wood, cloth and leather
- Interior and exterior applications
- Open time 10 minutes, assemble 20-25 minutes
- Passes ANSI/HPVA Type I water-resistance
- Longer open assembly time than Original and Titebond II
- Lower application temperature

	Inc.vat	Ex.vat	Code
237ml (8floz)	£7.14	£5.95	301413
473ml (16floz)	£11.24	£9.37	301414
3.8 litres (1 US Gall)	£45.95	£38.29	301416
19 litres (5 US Gall)	£189.95	£158.29	952203

Titebond Extend Wood Glue

Formulated from Original Wood Glue, interior aliphatic resin emulsion will give you the same reliability of bond but with a longer open time for complicated assemblies, great for laminations. Stiffer and more heat resistant in the fully cured state than Titebond III and most other PVA and Aliphatic resins making it most suitable for laminations in shaped work and interior applications likely to be exposed to higher than normal temperatures (Kitchens, Fire surrounds, etc).

- Interior use
- Open time 15 minutes
- Assembly time 20-25 minutes
- Versatile - Water clean-up - Non toxic

	Inc.vat	Ex.vat	Code
473ml (16floz)	£7.85	£6.54	701738
3.8 litres (1 US Gall)	£30.44	£25.37	701739

Bulk discount available*



Titebond II Dark Wood Glue

Titebond II Dark Wood Glue is a dyed-version of Titebond II Wood Glue with all the same properties.

- Interior or exterior use
- Excellent sandability, unaffected by finishes
- Versatile: bonds wood, hardboard and high pressure laminates
- Open time 5 minutes
- Assembly time 10-15 minutes
- Non toxic

	Inc.vat	Ex.vat	Code
237ml (8floz)	£5.04	£4.20	600206

Bulk discount available*



Titebond Wood Moulding Glue

The thickest, fastest drying glue available, use for porous and semi-porous materials. Perfect for finish trim, or mouldings and other similar applications, this is a non drip wood glue. Easy to use, water clean up before setting. Non-toxic, provides strong 30 minute initial tack, fast speed of set, yet allows for realignment of working pieces.

- Type - Thixotropic PVA
- Suitable for Wood, Cloth and leather
- Interior use only

	Inc.vat	Ex.vat	Code
237ml (8floz)	£4.44	£3.70	600201
473ml (16floz)	£7.25	£6.04	600202

Bulk discount available*



Bulk discount available*

Titebond Cold Press for Veneer

Titebond Cold Press for Veneer is a high-quality, economical alternative to contact cement for large-scale bonding of veneers to flat surfaces. It is specifically formulated for cold press laminating of wood to solid woods, particleboard, MDF, plywood and other porous materials. It offers a moderate speed of set, and contains none of the harmful or corrosive fumes typical of most contact cements. It also helps prevent bleed-through on open grained and unbacked wood veneers.

	Inc.vat	Ex.vat	Code
946ml (32oz)	£10.44	£8.70	952215
3.8 litres (1 US Gall)	£28.94	£24.12	952216



Wudcare PVA - 5 Minute

Not just another PVA glue. Under proper working conditions this will give you an initial bond in just 5 minutes and a firm bond in 10. It is suitable for interior and exterior use and has been creep failure tested to BS4071 to eliminate the problem suffered by many other PVA's. In common with other Wudcare products, this glue does what it says on the pack, outperforming others. If you want a versatile, quick, reliable wood glue look no further. Recommended for laminating and veneering wood as well as construction joints.

	Inc.vat	Ex.vat	Code
500ml	£4.74	£3.95	301356

Fast Grab 5 Minute Polyurethane Glue

This massively strong polyurethane glue is economical to use, has a fast initial grab in 5 to 10 minutes and a firm bond in 4 hours. Full cure will require 24 hours. After setting, the bond is very stable resisting 'creep', immersion in salt water and exposure to the elements. Fast Grab will also bond with cement, metal and many combinations of materials.

	Inc.vat	Ex.vat	Code
500ml	£10.74	£8.95	500010

Sili-Brush Non-Stick Glue Kit

- Apply wood glue quickly and easily
- Re-usable, non-stick for easy clean up
- Brushes: 12mm and 25mm brush tip with 15mm spreader ends
- Combined spreader/comb and glue tray
- Use for PVA and similar, works with most polyurethane glues

	Inc.vat	Ex.vat	Code
Non Stick Glue Kit	£11.75	£9.79	506086
Glue Brush Only	£5.24	£4.37	504424

Polyten PVA Glue

A water resistant, clear drying fast grab PVA adhesive producing, within 10 minutes, a secure bond which is fully dry in 2 hours.

	Inc.vat	Ex.vat	Code
500ml	£5.15	£4.29	410350
1 litre	£8.94	£7.45	410349

Fast Grab Instant Polyurethane Glue

For those of you in a hurry Fast Grab Instant has all the properties and benefits of Fast Grab but this gun-able Polyurethane adhesive grabs in one minute, sets to a strong bond in five minutes reducing clamping time to a minimum. If quick assembly is your need then this is the glue for you. However, if your joint is to be stressed or jolted then it is wise to allow 24 hours for the full cure to take effect before you ask it to take rough handling. 310ml cartridge.

	Inc.vat	Ex.vat	Code
310ml	£7.25	£6.04	500009

Titebond Polyurethane Glue

High strength waterproof glue specially formulated for multi-purpose applications. Ready to use, easy to sand and unaffected by finishes, (non-drip). Polyurethane glues cure by moisture and an effervescence is a by-product of this, having no strength it is easily sanded when dry, the glue will not become brittle with age and will not expand or contract in the joint. In very dry timber it may be necessary to moisten one surface to encourage curing to take place.

- Interior & exterior use, bonds virtually everything
- Suitable for Wood, Plastics, Cloth, Leather, Rubber, Ceramics
- Porous/non-porous materials
- Initial Tack time 30 mins, non drip
- Setting time 4 hours approximately
- 100% waterproof (Passes ANSI Type I & II water-resistance testing)
- Epoxy-like strength - no mixing

	Inc.vat	Ex.vat	Code
118ml (4oz)	£6.84	£5.70	212513
237ml (8floz)	£10.25	£8.54	600211
355ml (12floz)	£12.95	£10.79	600212

Glue Bottle Set

An excellent glue applicator incorporating a glue roller and twelve other useful various nozzles. Set includes brush applicator, dowel hole nozzles and nozzle purely for biscuit joints. Supplied with two empty glue bottles to fill with the woodworking adhesive of your choice. The nozzle thread is compatible with an 8oz Titebond container making it possible to fit any nozzle directly to the Titebond bottle.

	Inc.vat	Ex.vat	Code
Glue Bottle Set	£14.45	£12.04	100242

Axminster Glue Bottles

Axminster Glue Bottles are well made and will give good service when used with the PVA and aliphatic resin groups of wood and craft glues. There are four bottles, each dedicated to a particular type of glue application:

Roller - This lays glue over flat surface areas via a glue feed roller.

Biscuit Jointer - Head matches the radius of the biscuit jointer's blade, it will deliver glue accurately into the pocket for all sizes of biscuit.

Dowel and Biscuit Jointer - Side ejection nozzle that will feed glue to the sides of the holes for dowels in excess of 10mm diameter and the pockets for standard width biscuits.

Brush - Brush on the head for a more conventional type of application.

All four bottles come complete with closures to keep the glue fresh.

	Inc.vat	Ex.vat	Code
Biscuit Bottle	£2.04	£1.70	500387
Roller Bottle	£2.45	£2.04	500214
Dowel Glue Bottle	£2.45	£2.04	500396
Brush Bottle	£3.44	£2.87	500397

Titebond Heavy Duty Construction Adhesive

- Bonds wood, metal, plastics and some rubbers
- Brick, concrete, ceramics and plasterboard
- Strong gap filling bond
- Interior and exterior use
- Solvent based rubber resin
- Setting time 6-24 hours
- Tube 311ml & 215mm length (excluding nozzle)

	Inc.vat	Ex.vat	Code
311ml(10.5oz) 1 Tube	£4.25	£3.54	600210
Box of 12 Tubes	£44.95	£37.46	719621
Box of 60 Tubes	£199.96	£166.63	718695

Titebond Solvent Free Construction Adhesive

- Type - Blend of polymer emulsions
- Suitable for Wood, Metal, Plastics and some Rubbers
- Polyurethane and polystyrene
- Interior and Exterior use
- Solvent free adhesive
- Setting time 6-24 hours
- Tube 311ml & 215mm length (excluding nozzle)

	Inc.vat	Ex.vat	Code
311ml(10.5oz) 1 Tube	£3.65	£3.04	409001
Box of 12 Tubes	£37.96	£31.63	714526

Titebond GREENchoice™ Professional Cove Adhesive

- High strength even when bonding two non-porous materials
- Suitable for interior and exterior projects
- Fast grab and cure
- Safe for plastic and foam (test recommended)
- Bond porous and non-porous materials
- Smooth bead for effortless extrusion
- Operates in near-freezing temperatures
- Tube 311ml and 215mm length (excluding nozzle)

	Inc.vat	Ex.vat	Code
311ml (10.5oz) Pack of 12 Tubes	£3.35	£2.79	952205
	£33.95	£28.29	718697

Titebond GREENchoice™ Premium Polyurethane Construction Adhesive

- Suitable for drywall, plaster, paint, wallpaper, paneling & ceramic tile
- Impact resistant, fast strong grab, require no clamping
- VOC-compliant formula contains no ozone-depleting chemicals
- Nonflammable, emits no harmful fumes
- Safer for you and the environment
- Cleans up with water
- Tube 311ml & 215mm length (excluding nozzle)

	Inc.vat	Ex.vat	Code
311ml(10.5oz) 1 Tube	£6.44	£5.37	952217
Box of 12 Tubes	£64.96	£54.13	718696

Construction Adhesives

Cox Easiflow HD Sealant Gun

Designed for occasional use by the professional or home improvement enthusiast. Built to a high standard it is fitted with a patented Pressure Relief Device which slightly backs-off the plunger when the trigger is released to help minimise any overflow.

	Inc.vat	Ex.vat	Code
Easiflow HD Sealant Gun	£5.94	£4.95	951045

Cox Powerflow Sealant Gun

Catering for all the needs of the professional, taking both 310ml and 400ml cartridges. The heavy duty design allows for use with medium to high viscosity material. Engineered to have a life of many thousands of cartridges. The patented Pressure Relief Device can be turned on or off. On; it helps minimise any overflow, off; it allows a more continuous flow for a long even bead. The large aluminium cast trigger with a 12:1 ratio aids control. All parts made to the highest standards.

	Inc.vat	Ex.vat	Code
Powerflow Sealant Gun	£16.94	£14.12	951046

West System Epoxy

WEST SYSTEM® epoxy is a versatile, 2-part, marine-grade (waterproof) epoxy that bonds and coats wood, fiberglass, metal, fabrics and other composite materials to provide superior strength and moisture resistance. Suitable for a host of construction/repair projects especially ones exposed to the elements; boatbuilding, all furniture including garden, restoration, aircraft and vehicle and many more. You can easily modify the epoxy to suit your specific project, whether you're jointing, wanting to laminate strips, building up by filling/shaping or sealing the surface.

User Manual and Product Guide

- Comprehensive guide to West System epoxy
- Includes selection and coverage guides
- Information on appropriate product choice



	Ex.vat	Code
User Manual 57 Pages	£1.04	506077

User's CD

- Invaluable 'how to' and product guide
- Shows processes and combinations of products
- Provides a mass of tips and know how



	Inc.vat	Ex.vat	Code
User's CD	£2.15	£1.79	202490

Wooden Boat Restoration & Repair

- Complete epoxy guide, restoration/repair of wooden boats
- Fully illustrated, diagrams and drawings
- Dry rot, structural frame and plank repairs
- Techniques and solutions



	Inc.vat	Ex.vat	Code
Book - Pb 60 pages	£8.94	£7.45	500225

Mini Repair Kit

All you need at home or on the boat for the smaller repairs using the unique West System. The pack contains: 105 Resin, 205 Hardener, Filler 403 and 407, application tools, gloves, 2 mini pumps and mixing pots for accurate mixing all included with full instructions. With this pack you can sort it before it becomes a bigger problem, you know what they say about stitches and time!



	Inc.vat	Ex.vat	Code
Repair Kit	£19.94	£16.62	200579

655-K G/Flex Epoxy Resin Kit



- Toughened, resilient, two-part pre-thickened epoxy
- Gives strong bond of many different materials
- Solution for wet and difficult-to-bond-woods such as oak and teak
- Bonds metals, glass, plastics, masonry and fibreglass
- Structural bonding absorbs stress, expansion, contraction, shock and vibration
- Can cure underwater
- Easy to use, 1:1 mix ratio provides 45 minute pot life
- Long open time of 75 mins at room temperature
- Initial cure 3-4 hours, workable cure 7-10 hours



	Inc.vat	Ex.vat	Code
G/Flex 655-K Epoxy Kit	£32.45	£27.04	506065

NEW!

650-8 G/Flex Epoxy Resin

- Toughened, resilient two-part liquid epoxy
- Gives strong bond and seal of many different materials
- Solution for wet and difficult-to-bond woods such as oak and teak
- Bonds metals, glass, plastics, masonry and fibreglass
- Structural bonding absorbs stress, expansion, contraction, shock and vibration
- Modify with fillers and additives, or to wet-out fibreglass tapes and fabrics
- Easy to use, 1:1 mix ratio provides 45 minute pot life
- Long open time of 75 mins at room temperature
- Initial cure 3-4 hours, workable cure 7-10 hours



	Inc.vat	Ex.vat	Code
650/8 Liquid Epoxy 118ml	£26.94	£22.45	506064

Junior Pack

The Junior resin and hardener pack for smaller jobs.

- Suitable for Wood, Metal and GRP
- Exterior/Wet use
- Setting time 5-48 hours
- When mixed provides up to 600 grams of adhesive
- Comes with 105 resin and 205 Fast hardener



	Inc.vat	Ex.vat	Code
600g	£24.44	£20.37	310403

Plastic Mixing Sticks

For mixing, applying and filleting, they are easily cleaned ready for re-use. To ensure a thorough mixing of the resin/hardener and any filler blend they have a squared, bevelled end that reaches mixing pot corners. Epoxy peels off easily when cured. 25 per pack.



	Inc.vat	Ex.vat	Code
Reusable Plastic Mixing Sticks (Pkt 25)	£8.94	£7.45	501620

Epoxy Large Pack



Epoxy resin and hardener packs for all types of construction: boats, furniture, etc - suitable for laminating and sealing.

- Extra strong water resistant joint
- Easy to use, 2 part epoxy system
- Suitable for Wood, Metal and GRP
- Workable cure achieved in 5-7 hours, full strength in 48 hours
- West System is quality assurance registered to BS5750/Pt2, ISO9002 and AQAP4 Edition 2

2 packs available depending on hardener speed

Hardener (fast) will give a pot life of 15-20 minutes

206 Hardener (slow) will give a pot life of 25-30 minutes



	Inc.vat	Ex.vat	Code
205 Fast 1.2kg	£40.94	£34.12	702682
206 Slow 1.2kg	£40.94	£34.12	702684

Filleting Blend Filler

- For filleting, allows natural looking finish
- Mix of cellulose fibres and other fillers
- Adjusted colour with alcohol or water based stains
- 15-25% weight to epoxy mix according to requirement
- Tan colour when cured



	Inc.vat	Ex.vat	Code
150g	£9.95	£8.29	500223

Colloidal Silica Filler

- General purpose thickening additive
- Suitable for bonding, gap filling and filleting
- Controls viscosity of epoxy
- 3-8% weight to epoxy mix according to requirement
- Off white when cured



	Inc.vat	Ex.vat	Code
60g	£8.24	£6.87	500221
275g	£16.94	£14.12	500222

Low Density Filler

- Suitable for high strength to weight putties
- Easy to shape and sand
- Blended microballoon based filler
- 20-40% weight to epoxy mix according to requirement
- Dark reddish brown when cured



	Inc.vat	Ex.vat	Code
150g	£14.45	£12.04	100585

Microfibres Filler

- Cellulose cotton fibre blend
- Gives epoxy improved bonding and gap filling qualities
- 4-16% weight to epoxy mix according to requirement
- Off white when cured



	Inc.vat	Ex.vat	Code
150g	£8.24	£6.87	100586
750g	£17.45	£14.54	340318

Pump Set

- Dispenses resin and hardener in correct ratio
- Attach directly to resin and hardener containers
- Suitable for metal packs
- Pack 2



	Inc.vat	Ex.vat	Code
Pump Set for 1.2kg pack	£19.44	£16.20	702686
Pump Set for 6kg pack	£19.94	£16.62	702687

Syringes

- Measures small quantities accurately
- Suitable for applying adhesive to difficult areas
- Supplied in two sizes with graduations
- 50ml in 1ml divisions or 10ml in 0.5ml divisions



	Inc.vat	Ex.vat	Code
Syringes 10ml (Pkt 2)	£4.14	£3.45	380710
Syringes 50ml (Pkt 2)	£6.74	£5.62	380727
Syringes 1 x 10ml, 1 x 50ml	£5.15	£4.29	380703

Six10 Epoxy Adhesive 190ml

- Two-part epoxy adhesive, waterproof and structural gap filling
- Bonds to wood, metals, fibreglass and concrete
- Non-sagging, good for vertical or overhead use
- Fill cracks, coats and seals end grain on wood
- Small fibreglass boat repairs
- 42 mins working time, fast 'thru-cure', solidify 5-6 hours
- Mixer nozzle dispenses resin and hardener in metered amounts
- 190ml cartridge



	Inc.vat	Ex.vat	Code
Six10 Epoxy Adhesive 190ml	£23.45	£19.54	501667
Six10 Spare Nozzles (Pkt 2)	£3.44	£2.87	506068

Mixing Pot

Strong reusable this 800ml mixing pot is graduated in 50ml divisions. Any unused, cured, solid epoxy easily pops out.



	Inc.vat	Ex.vat	Code
800ml Mixing Pot	£1.25	£1.04	500224

Notched Spreaders

For controlled and consistent application of epoxy blends there is a separate size notch on each of three sides to give you 3mm, 4mm, or 6mm beads as required. With a resilient flexibility, these reusable plastic spreaders (110 x 110mm) make a quick job of ensuring an even depth of material is spread. 2 per pack.



	Inc.vat	Ex.vat	Code
Spreader (Pkt 2)	£5.24	£4.37	380901

West System Wooden Stirrers (Pkt 5)

These 300 x 27mm stirrers ensure thorough mixing when a high percentage of fillers are incorporated into the epoxy. Strong and durable, they will also scrape epoxy from surfaces. Pack of 5.


NEW!



	Inc.vat	Ex.vat	Code
Wooden Stirrers (Pkt 5)	£5.75	£4.79	506067

Plastic Squeegees

Flexible but with sufficient resistance to control even quite stiff mixes. They are reusable and are chamfered on the two long sides for more sensitive control of the material. Size 90mm x 150mm. 2 per pack.



	Inc.vat	Ex.vat	Code
Squeegee (Pkt 2)	£4.74	£3.95	380802

West System 75mm Roller Application

- Roll on epoxy for a fast even coating
- 75mm reusable roller frame
- Pack of 2 x 75mm foam roller covers
- Roller tray is reusable as cured epoxy can be 'popped out'

NEW!



	Inc.vat	Ex.vat	Code
Roller Tray	£2.75	£2.29	506071
75mm Roller Frame	£3.44	£2.87	506069
75mm Foam Roller Covers (Pkt 2)	£5.94	£4.95	506070

Epoxy Resin Removing Cream

Formulated to remove uncured epoxy from the skin in the event of accidental contamination. 250ml.



	Inc.vat	Ex.vat	Code
250ml	£6.74	£5.62	382004

Barrier Cream

Protects against resins, oils, grease and petroleum spirits. This multi-purpose barrier cream has a special bactericidal ingredient to minimise the risk of skin infection. 250ml.



	Inc.vat	Ex.vat	Code
250ml	£6.74	£5.62	308310

Nitrile Gloves

NEW!

- Allergy-free Nitrile gloves
- Latex-free and non powdered
- Strong, micro textured
- Offers good dexterity for a host of uses
- Medical grade AQL 1.5 conforms to EN 455 parts 1-4
- Supplied in box 100 gloves



	Inc.vat	Ex.vat	Code
Pack of 100	£6.95	£5.79	506074

Bulk discount available*

Cascamite Powdered Resin Wood Glue

- Type - Powdered Resin
- Windows, doors, boats, veneering and laminating etc
- Interior/Exterior use
- Suitable for Wood
- Fast bond strength
- Gap filling properties, clear glue line
- Non staining, mould resistant
- Tack time 1-2hrs, cure time 6 hours approximately



	Inc.vat	Ex.vat	Code
125g	£4.14	£3.45	400022
220g	£6.24	£5.20	400024
500g	£12.44	£10.37	400026
1.5kg	£20.94	£17.45	400023
3kg	£39.44	£32.87	400025
6kg	£67.94	£56.62	400027

UK Mainland Delivery Only

Bulk discount available*

Polyproof Fully Waterproof Glue

- Fully waterproof, 2 part glue
- Suitable for totally submerged timber
- Marine applications, structural timbers and laminating
- Type - Resorcinol
- Tack time 10 - 30 mins, cure time 4 hours
- (Formerly known as Cascaphen/Extraphen).



	Inc.vat	Ex.vat	Code
Waterproof Glue 500g	£33.95	£28.29	400014

Z-Poxy Epoxy Resin

- Type - Two part Epoxy resin
- Suitable for Wood, Metal, Plastics, Cloth, Leather Rubber and Ceramics
- Interior/Exterior use
- Clear, tough, permanent bond
- Gap filling with shock resistant characteristics
- Resists fuel, oil, many chemicals and solvents
- Setting times 30 mins or 5 mins



	Inc.vat	Ex.vat	Code
30 Minute 235ml(8 fl.oz)	£18.44	£15.37	990120
5 Minute 235ml(8 fl.oz)	£18.44	£15.37	990121

UK Mainland Delivery Only

Aerolite 306 Glue Pack

- Type - Urea-formaldehyde
- Suitable for Wood
- Interior/Exterior use
- 2 part, resin/water mix and hardener for mating surface
- Setting time 25 mins/3 hours dependent on temperature



	Inc.vat	Ex.vat	Code
Glue Pack 375g	£16.94	£14.12	310467
Hardener 125ml	£7.44	£6.20	310468
Resin Powder 250g	£12.74	£10.62	310469

NEW!

West System G/5 5 Minute Epoxy Resin

- Suitable for a host of quick repair jobs giving a very strong bond
- Fast setting two-part epoxy resin adhesive
- Bonds to wood, fibreglass, plastics, metal and more
- 1:1 mix ratio
- Cures in 3-5 minutes
- Pack contains 4fl.oz resin, 4fl.oz hardener



	Inc.vat	Ex.vat	Code
G/5 Epoxy Resin 4fl.oz	£21.95	£18.29	506066

Araldite Epoxy Resin

- Type - Epoxy
- Suitable for Wood, Metal, Plastics, Cloth, Leather, Rubber and Ceramics
- Interior/Exterior use
- Setting time 6-16 hours (Standard), 10 mins/16 hours (Rapid)
- 24g Syringe



UK Mainland Delivery Only

	Inc.vat	Ex.vat	Code
Standard 24g Syringe	£7.94	£6.62	340085
Rapid 24g Syringe	£8.94	£7.45	340282

Devcon Plastic Welder

- Type - Epoxy
- Suitable for Wood, Metal and Plastics
- Interior/Exterior use
- Initial Tack time 4-15 mins
- Setting time 24 hours approximately



UK Mainland Delivery Only

	Inc.vat	Ex.vat	Code
Plastic Welder	£8.64	£7.20	322045

Contact Adhesives

Evo-Stik Timebond

- Type - Latex/Thixotrop
- Suitable for Wood, Metal, some Plastics, Cloth, Leather
- Interior and Exterior
- Setting time 15 minutes approximately

UK Mainland Delivery Only



	Inc.vat	Ex.vat	Code
250ml	£7.25	£6.04	900365
500ml	£13.44	£11.20	900368
1 litre	£22.94	£19.12	900360

All Purpose Welder Contact Adhesive

- All-purpose contact adhesive
- Bonds porous and non-porous materials
- Outdoor and indoor applications
- Permanent bond and sealing
- Plastic, wood, metal, rubber, vinyl, cloth, tile, ceramic, glass and more
- Leaves a clear bond
- Supplied in packs of 2 x 1oz tubes



	Inc.vat	Ex.vat	Code
Welder Adhesive (Pkt 2)	£7.44	£6.20	503797

Superglues, Cyanoacrylates & Specialist Glues



Bulk discount available*

Online VIDEO available

Titebond Instant Glues

Cyanoacrylates (CA) have traditionally been called super glues for their adhesion properties to a wide range of different materials and their effectiveness for unique applications. The Titebond Instant range of CA adhesives covers many different applications; the viscosity and setting times vary according to the chosen product.

Thin: 5 seconds handling time, 3 second set time, good for running into hairline cracks for repairs and stabilising small sections of timber.

Medium: 7 seconds handling time, 5 second set time, general purpose type of CA glue.

Thick: 10 seconds handling time, 8 second set time, ideal for stabilising porous woods and using with MDF and trimming carpentry components.

Gel: 30 seconds handling time, 20 second set time, has excellent gap filling properties. Again its performance is very good when used with porous materials.

	Inc.vat	Ex.vat	Code
Thin 56.8g(2oz)	£11.94	£9.95	210868
Medium 28.4g(1oz)	£8.24	£6.87	501306
Medium 56.8g(2oz)	£11.94	£9.95	210869
Thick 56.8g(2oz)	£11.94	£9.95	210870
Gel 56.8g(2oz)	£14.45	£12.04	210871

Bulk discount available*

Zap-A-Gap Adhesive

Bonds practically anything in 10-20 seconds. Allows from 7-10 seconds for careful positioning and has the ability to bridge slight gaps. Once parts are in position, cure time can be speeded up with a quick spritz of Zap Zip Kicker.



	Inc.vat	Ex.vat	Code
28g	£6.95	£5.79	990095

Zap Z-7 Debonder

If you are using super glues then the chances are at some point in your life you will need Z-7 Debonder. Its special formula softens cured super glues into a jelly like substance that is easily removed from fingers, surfaces etc. A few applications on a joint allows disassembly after about four minutes. However, its formula may affect some plastics or painted surfaces. Can be used to release accidentally bonded fingers.



Bulk discount available*

	Inc.vat	Ex.vat	Code
28g	£4.94	£4.12	990099

UK Mainland Delivery Only

Zap Zip Kicker

The best all round accelerator for both Zap and all other super glues. A quick spray forces the almost immediate cure of glue, expands the gap filling properties and solves a lot of tough bonding problems.



Bulk discount available*

	Inc.vat	Ex.vat	Code
56g	£7.64	£6.37	990098



Veritas Chair Doctor Glue

Low viscosity glue that soaks into the end grain, swells the wood then 'freezes' the wood in its swollen state as it cures.

- Suitable for Wood
- Interior (Furniture)
- Accurate glue delivery with micro dropper
- Setting time 1-24 hours

57ml bottle or Pro Kit with 114ml glue, syringe and 3 injection needles.

Bulk discount available*

	Inc.vat	Ex.vat	Code
Chair Doctor 57ml	£8.15	£6.79	510450
Chair Doctor Pro Kit 114ml	£9.95	£8.29	510451

CHESTNUT

Chestnut Cyanoacrylate Adhesive

- Incredible strength
- Impact resistant
- 3 consistencies to suit almost any application
- Supplied in a 20g plastic bottle
- Suitable for wood, plastics, china, ceramics, glass, rubber

NEW!



	Inc.vat	Ex.vat	Code
Thin 20g	£3.95	£3.29	506315
Medium 20g	£3.95	£3.29	506316
Thick 20g	£3.95	£3.29	506317

Mitre Adhesive

Mitre Bond Adhesive

A highly effective super fast adhesive with activator spray. Formulated to bond smooth close fitting surfaces of wood, metal, glass and a wide range of other materials. It's so easy to use, spray one face of the joint with the activator apply a small amount of the adhesive to the other face and bring both sides together and hold for approximately 10 seconds; you will be amazed.

Bulk discount available*



UK Mainland Delivery Only

	Inc.vat	Ex.vat	Code
50g	£6.95	£5.79	600402

Bulk discount available*

Mitre Bond Adhesive & Pen

Mitre Bond is a super fast adhesive for fixing close fitting surfaces and will bond wood, metal, glass and other materials. This kit contains 3 x 50g packs of Mitre Bond adhesive and an activator pen that will set super glue in 15 seconds. The activator pen is quick and allows you to be very precise and will not give any overspray or staining.



	Inc.vat	Ex.vat	Code
Adhesive & Pen	£13.94	£11.62	702454

Pearl Glue

Bulk discount available*



Liberon Pearl Glue

Essential for re-gluing or repairing antique furniture, only glue compatible with the original used, enables joints to be taken apart again during future repairs. If you need to break the joint at a later date just heat or steam apart. To make the glue, estimate the amount you will need and pour the pearl beads into the inner container of your glue pot, top up with hot water so that it just covers the beads and allow to soak overnight. Heat the glue and stir frequently and it is ready to use as soon as it is all liquid with no lumps. The optimum consistency should run freely in a continuous string from a raised brush without breaking up into small droplets. Add more hot water to thin or more pearls to thicken.

	Inc.vat	Ex.vat	Code
250g	£6.44	£5.37	800289
500g	£10.64	£8.87	800291
1kg	£14.15	£11.79	800288
5kg	£51.95	£43.29	800290

Titebond

Bulk discount available*

Titebond Liquid Hide Glue

- Ready to use form of pearl glue
- Type - Natural Protein Emulsion
- Suitable for Wood and Cloth
- Suitable for Interior use only
- Can be reversed if required by heat
- Setting time 12-24 hours
- Unsuitable for long storage once opened



	Inc.vat	Ex.vat	Code
118ml(4floc)	£4.55	£3.79	600224
237ml(8floc)	£7.14	£5.95	600225

Liberon Rabbit Skin Glue

Traditional glue used in the preparation of gesso and as a base for gilded and painted surfaces. Also use as a glue size for gold and metal leaf.



	Inc.vat	Ex.vat	Code
250g	£10.94	£9.12	800446

Goo Gone

- Nothing is more effective for removing label residue
- Gets rid annoying tacky marks
- Effective on oil, tar, wax, grease, scuff marks etc.
- Pleasant orange aroma
- 235ml Bottle or 473ml spray



	Inc.vat	Ex.vat	Code
235ml	£8.45	£7.04	477112
473ml Spray	£11.94	£9.95	210965



Axminster Glue Bottles

Axminster Glue Bottles are well made and will give good service when used with the PVA and aliphatic resin groups of wood and craft glues. There are four bottles, each dedicated to a particular type of glue application:

Roller - This lays glue over flat surface areas via a glue feed roller.

Biscuit Jointer - Head matches the radius of the biscuit jointer's blade, it will deliver glue accurately into the pocket for all sizes of biscuit.

Dowel and Biscuit Jointer - Side ejection nozzle that will feed glue to the sides of the holes for dowels in excess of 10mm diameter and the pockets for standard width biscuits.

Brush - Brush on the head for a more conventional type of application.

All four bottles come complete with closures to keep the glue fresh.

	Inc.vat	Ex.vat	Code
Biscuit Bottle	£2.04	£1.70	500387
Roller Bottle	£2.45	£2.04	500214
Dowel Glue Bottle	£2.45	£2.04	500396
Brush Bottle	£3.44	£2.87	500397

Glue Bottle Set

- Apply glue fast and accurately
- Brush applicator
- Glue roller and 11 other various nozzles
- Dowel, biscuit, sealing nozzle and more
- 2 refillable glue bottles
- Bottle thread same as 8oz Titebond containers

	Inc.vat	Ex.vat	Code
Glue Bottle Set	£14.45	£12.04	100242



Lamello Glue Dispenser

Designed to dispense the glue into the groove with no mess, a glue dispenser is a very useful accessory for any biscuit jointer. Two types are offered.

The **MINICOL** glue dispenser consists of a non slip base and a glue bottle with a nozzle specifically shaped to fit the groove. After use the bottle is put back into the base which seals the nozzle, preventing blockage and drying out of the glue.

The **DOSICOL** glue dispenser is a pump action bottle with a nozzle shaped to fit the groove exactly. The pump can be adjusted to dispense precisely the required amount of glue. Supplied complete with stand.

	Inc.vat	Ex.vat	Code
Minicol Dispenser	£39.44	£32.87	600497
Dosicol Dispenser	£75.95	£63.29	410156

6 Piece Multi-Purpose Spreading Spatulas

- For applying glue to felts, paper, cardboard etc.
- Tip is flexible and can be used with various amounts of pressure
- Made from polypropylene plastic allows dried glue or paint to just chip off
- Length 150mm, width 15mm.

	Inc.vat	Ex.vat	Code
Pack 6	£4.44	£3.70	600906

Axminster Disposable Brushes

A pack of 12 disposable brushes, 12mm wide with tubular handles. Use for applying oils, paints, stains, suds, glues, etc.

	Inc.vat	Ex.vat	Code
Pack 12	£4.94	£4.12	100136



36 Piece Assorted Paint Brush Set

Great for applying glue, stains and general workshop use. Contains 12 of each size, 25mm, 38mm, 50mm.

	Inc.vat	Ex.vat	Code
Brush Set (36 Pce)	£14.94	£12.45	600580



Axminster Power Hand Clamp

- Simple, versatile, reliable and effective
- Box joint design for strength and alignment
- Positive non-slip clamping
- Jaw pads with cross-vee for round or irregular pieces
- Clamping pressure 35 to 40kgs

	Inc.vat	Ex.vat	Code
58mm	£5.75	£4.79	210209
100mm	£7.94	£6.62	210210

Box of 10 Assorted Axminster Spring Clamps

For those wishing to stock up on their spring clamps, here is the most economical way to do it - a box of 10, containing 4 off 35mm, 4 off 60mm and 2 off 80mm capacity spring clamps. Now if that doesn't grab you, what will?


	Inc.vat	Ex.vat	Code
Clamps - Pack 10	£12.95	£10.79	110036

NEW!

Sili-Brush Non-Stick Glue Kit

- Apply wood glue quickly and easily
- Re-usable, non-stick for easy clean up
- Brushes: 12mm and 25mm brush tip with 15mm spreader ends
- Combined spreader/comb and glue tray
- Use for PVA and similar, works with most polyurethane glues

	Inc.vat	Ex.vat	Code
Non Stick Glue Kit	£11.75	£9.79	506086
Glue Brush Only	£5.24	£4.37	504424



Axminster Sash Cramps

- Made from 32 x 6mm drawn steel
- Cast iron head and slides provide for strength
- Clamp faces are 50mm deep x 27mm wide
- Head is flat bottomed allowing the bar to stand upright
- Screw has twin start thread for rapid adjustment
- Available singly or as a pack of 6

	Inc.vat	Ex.vat	Code
760mm (30")	£16.44	£13.70	950257
1,060mm (42")	£18.74	£15.62	950258
1,370mm (54")	£20.45	£17.04	950259
6 off 760mm (30")	£89.95	£74.96	718707
6 off 1,060mm (42")	£99.95	£83.29	718708
6 off 1,370mm (54")	£109.94	£91.62	718709

Faithfull Gaffa Tape 50mm x 50m Silver

- An extremely strong heavy-duty and versatile cloth tape
- Easy to tear and apply
- Ideal for packing, repairing, sealing, fixing, protecting and re-inforcing
- Adheres to a variety of surfaces
- Length 50 metres per roll
- 50mm width

	Inc.vat	Ex.vat	Code
Gaffa Tape 50mm x 50m	£4.94	£4.12	410221

Double Sided Tape

- Universally useful item
- Perfect for trial assembly of woodworking projects
- Pressure sensitive - sticks when firm pressure applied
- 50m long x 19mm wide

	Inc.vat	Ex.vat	Code
50m x 19mm	£11.45	£9.54	211301

NEW!

Axminster Glue Injector Set

- High pressure glue injector set
- Excellent for applying glue to hard-to-reach places
- Flexible spout and two nozzle sizes included
- Easy to dismantle for cleaning

	Inc.vat	Ex.vat	Code
Glue Injector Set	£13.25	£11.04	504669

Hotmelt Glue



Bosch GluePen Cordless Li-Ion Glue Gun

Small and very controllable, this GluePen from Bosch is great for a host of small work where you need to be very precise. Using Li-Ion technology, the built-in 3.6V battery makes it very portable. With rapid heat-up of only 15 seconds (170°C), a single battery charge is enough for 30 minutes (6 glue sticks). It fits comfortably in your hand and works cleanly with an automatic glue retraction. Auto shut-off after 10 minutes. It takes 7mm glue sticks. 2 year Bosch warranty.

Supplied with integral 3.6V 1.5Ah battery, micro USB charger and 4 general purpose glue sticks.

	Inc.vat	Ex.vat	Code
GluePen Glue Gun 3.6V	£28.94	£24.12	506078

BOSCH

Powered by
Li-Ion
Battery
Technology

BOSCH
3 year
Warranty
Registration req'd

NEW!

Bosch PKP 3.6 LI Cordless Li-Ion Glue Gun

Cordless Li-Ion technology allows you to go almost anywhere with this glue gun. It is suitable for craft, decoration, repairs and has many other uses. Li-Ion gives a long battery runtime of 30 minutes on a single charge (6 glue sticks). The battery is shielded by electronic cell protection giving it a long battery life. It is very compact and light in weight at only 255g. The glue gun has auto shut-off and heat protection. The LED display tells you when temperature is reached and battery level. Heat up time is 15 seconds to reach 170°C. It takes 7mm glue sticks. 2 year Bosch warranty.

Supplied with integral 3.6V 1.5Ah battery, charging lead and 4 general purpose glue sticks

	Inc.vat	Ex.vat	Code
Cordless PKP 3.6 LI Glue Gun	£37.96	£31.63	506080



Arrow TR550 Glue Gun

This professional glue gun will take high and low temperature glue sticks, it has a high volume melt chamber and heavy duty circuitry for prolonged use. The large trigger is comfortable in use, fitted with a non-drip nozzle and check valve to control glue flow, it also has a built in drip tray/stand. Takes standard glue sticks 11/12mm.

	Inc.vat	Ex.vat	Code
TR550 Glue Gun	£19.94	£16.62	952319



Bosch PKP 18E Glue Gun

Hot melt glue gun with high delivery rate for its size, up to 20g per minute. The adhesive is heated by electronically controlled elements for a constant working temperature. The flow of glue is delivered by a trigger feed mechanism and non-drip feature on the nozzle. Weight 350g. Takes 12mm sticks.

	Inc.vat	Ex.vat	Code
Glue Gun 230V	£19.96	£16.63	800346



Proxxon HKP 220 Hot Melt Glue Gun

Small and compact this hot glue gun will quickly and efficiently stick metal, wood, plastic, glass, ceramics, stoneware, cardboard, leather, polystyrene, foams and textiles. Heats to 200°C Takes 7mm glue sticks.

Supplied with 3 nozzels: round 1.84 and 1.93 and a flat 5.61 wide x 1.05 opening and 4 x 7mm x 100mm glue sticks.

	Inc.vat	Ex.vat	Code
HKP 220 Glue Gun 230V	£13.74	£11.45	476827

Glue Sticks

7mm Hot Melt Glue Sticks for (HKP 220/ Bosch)

7mm diameter hot melt glue sticks. For metal, wood, plastic, ceramics, cardboard, leather, polystyrene foams and textiles. Length 100mm. for all glue guns taking 7mm sticks. Colourless. Sold in packs 12.

	Inc.vat	Ex.vat	Code
7mm x 100mm Glue Sticks Pack 12	£1.64	£1.37	478003

12mm Hot Melt Glue Sticks (Yellow)

- Type - Hot Melt
- Suitable for Wood, Paper, Cloth, Plastics, Ceramics and light gauge metals
- Initial Tack time 45 seconds

	Inc.vat	Ex.vat	Code
1kg	£9.24	£7.70	510036
5kg	£37.94	£31.62	510037

12mm Hot Melt Glue Sticks (White)

- Type - Hot Melt
- Suitable for Wood, Paper, Cloth and some Plastics
- Initial Tack time 60 seconds
- 300 x 12mm sticks

	Inc.vat	Ex.vat	Code
1kg	£9.95	£8.29	510034
5kg	£39.95	£33.29	510035



Pocket Hole Joinery

Pocket hole joinery is all about making strong joints that are fast and easy to produce with a hidden joint. They are produced using a jig and drilling a hole at an angle into one workpiece. This is then joined to a second workpiece with a self-tapping screw.

SPEED – eliminates the need to pre-drill the mating workpiece.

STRENGTH – screw acts as an internal clamp and is stronger than a biscuit, dowel or tenon.

GRIP – constant clamping force combined with today's glue technology makes for an incredibly strong wood-to-wood bond.

Material: Zinc plated steel screws made to DIN 1.1133

Thread Type: The fine thread screw suits hardwood such as oak, maple, walnut and cherry.

Head Style: All UJK screws use Torx T20, chosen to provide the best grip possible. Washer Head style provides the largest amount of surface area to seat firmly in the bottom of the pocket, especially for plywood or pine and ensures that the screw is not overdriven.

Material thickness: Use 25mm screws to join 13mm to 19mm thick timber, 32mm screws to join 19mm, 38mm screws to join 22mm to 32mm, 50mm for 32mm to 35mm timber and 62mm long screws to join 38mm thick workpieces. Suitable for use with pocket hole jigs including Kreg®.



UJK Technology Pocket Hole HSS Drill Hex Shank

Precision drill bits for the UJK jig, specially designed and European made these spiral bits drill a very clean and precise hole ready to receive the pocket hole screw.

Available in High Speed Steel or Cobalt for greater wear resistancy.

	Inc.vat	Ex.vat	Code
Pocket Hole HSS Drill Hex Shank	£14.94	£12.45	504736
Pocket Hole Cobalt Drill	£19.94	£16.62	504737
Drill Bit Stop Collar	£2.34	£1.95	503834

UJK Technology Washerhead Wood Screws Trade Pack

- Fine thread screw suits hardwood such as oak, maple, walnut and cherry
- Coarse thread, suits soft woods, i.e. MDF, melamine, plywood and pine
- Washer head style provides the largest amount of surface area
- Seats firmly in the bottom of the pocket, especially for plywood or pine
- Large washer head screw is not overdriven in the bottom of the pocket
- Torx T20 heads for the best possible grip
- Pack 1,000 screws, coarse and fine thread in various sizes

	Inc.vat	Ex.vat	Code
Trade Pack	£19.94	£16.62	502479





UJK Pocket Hole Jig

Suitable for many applications from furniture making to kitchen fitting, giving very strong frames and carcasses. A strong, hidden joint is produced using a jig and drilling a hole at an angle into one workpiece, then joining it to a second workpiece with a self-tapping screw. Speed comes from the fact that the self-tapping screw eliminates the need to pre-drill the mating workpiece. This avoids many alignment problems caused by having to lay out and drill for aligning fasteners as with dowel, biscuit and mortice and tenon joints. Strength comes from the self-tapping screw as an internal clamp, eliminating clamping the joint as the glue dries. Save time and the frustration of clamping, as well as the problems associated with pulling the assembly out of square with clamping pressure. This well made jig has all metal parts for added strength and can easily be mounted on a bench. Use for a wide range of material thickness 12-36mm, clear metric scales allow for ease of use.

Supplied with high quality M2, specially designed, European made, spiral drill bit, collar and screwdriver bit.

	Inc.vat	Ex.vat	Code
UJK Pocket Hole Jig	£74.95	£62.46	503726

The UJK pocket hole jig is also available as a complete kit so that it can be used either bench mounted or fitted to a portable plate and used with the clamp so that you take the jig to the work. There is also a very useful extraction plate so that you can attach a vacuum extractor to keep your work area clear.

Supplied as a kit with extraction plate, portable plate, jig clamp, 1,000 screws in own assorter storage box, high quality M2, specially designed, European made, spiral drill bit and collar

Further accessories are available to enhance this jig and allow you to use it portable and with an extractor.

Extraction outlet that can be simply fitted so that you can attach a vacuum for extraction. Outlet diameter: outside 42mm, inside 35mm.

Portable Plate this plate allows you to take the jig off the bench mounted unit and use it as a portable jig. Especially useful for restoration work or joints that need to be worked where you cannot clamp whilst working on a bench. Best used with the pocket jig clamp.

	Inc.vat	Ex.vat	Code
Pocket Hole Jig Extraction Outlet	£18.46	£15.38	503801
Portable Plate	£2.95	£2.46	503802

Bulk discount available*



UJK Technology Washerhead Wood Screws - Fine Thread

For a positive joint, select the correct torque setting on the drill making sure not to overdrive the screw.

	Inc.vat	Ex.vat	Code
3.5 x 25mm Fine Thread Qty 500	£9.44	£7.87	501559
3.5 x 25mm Fine Thread Qty 100	£2.45	£2.04	501560
3.5 x 30mm Fine Thread Qty 500	£9.95	£8.29	501561
3.5 x 30mm Fine Thread Qty 100	£2.64	£2.20	501562
3.8 x 30mm Fine Thread Qty 500	£9.95	£8.29	501563
3.8 x 30mm Fine Thread Qty 100	£2.64	£2.20	501564
3.8 x 35mm Fine Thread Qty 500	£10.94	£9.12	501565
3.8 x 35mm Fine Thread Qty 100	£2.84	£2.37	501566



For a positive joint, select the correct torque setting on the drill making sure not to overdrive the screw.

UJK Pocket Hole Jig Complete Kit

The UJK pocket hole jig is also available as a complete kit so that it can be used either bench mounted or fit the portable plate and used with the clamp so that you take the jig to the work. There is also a very useful extraction plate so that you can attach a vacuum extractor to keep your work area clear.

Supplied as a kit with extraction plate, portable plate, jig clamp, 1000 screws in own assorter storage box, high quality M2, specially designed, European made, spiral drill bit and collar.


	Inc.vat	Ex.vat	Code
Pocket Hole Jig Complete Kit	£109.95	£91.63	717273



UJK Clamp for Pocket Hole Jig

Especially developed for the UJK Pocket Hole Jig, this clamp will hold the portable plate securely to your work whilst drilling and can also be used to clamp the joint together whilst fixing. With a quick action and very secure clamp it has two large 45mm face pads that spread the clamp load. Opening to a maximum of 75mm.

	Inc.vat	Ex.vat	Code
UJK Pocket Hole Clamp	£15.95	£13.29	503727



UJK Technology Washerhead Wood Screws - Coarse Thread

For a positive joint, select the correct torque setting on the drill making sure not to overdrive the screw.

	Inc.vat	Ex.vat	Code
4 x 25mm Coarse Thread Qty 500	£13.74	£11.45	501567
4 x 25mm Coarse Thread Qty 100	£3.44	£2.87	501568
4 x 30mm Coarse Thread Qty 500	£13.44	£11.20	501569
4 x 30mm Coarse Thread Qty 100	£3.44	£2.87	501570
4 x 35mm Coarse Thread Qty 500	£14.94	£12.45	501571
4 x 35mm Coarse Thread Qty 100	£3.74	£3.12	501572
4 x 50mm Coarse Thread Qty 500	£18.95	£15.79	501573
4 x 50mm Coarse Thread Qty 100	£4.44	£3.70	501574
4 x 60mm Coarse Thread Qty 500	£21.44	£17.87	501575
4 x 60mm Coarse Thread Qty 100	£4.94	£4.12	501576



UJK Alignment Clamp for Pocket Hole Jig

Especially developed for the UJK Pocket Hole Jig, this clamp will align the pocket joint exactly allowing you to screw the joint together. The 9.5mm pin is put into a drilled pocket hole and clamped, further drilled pocket holes can then be screwed together ensuring alignment. The fine thread has a quick release slide for quick reference in different material thicknesses, the ratcheting handle also ensures it does not foul on a workbench.

	Inc.vat	Ex.vat	Code
UJK Alignment Clamp	£14.45	£12.04	502710

UJK T20 Screwdriver Bits

Long T20 Torx screwdriver bits, a choice of 80mm or 120mm in length. Suitable for all T20 Torx head screws and UJK pocket hole washer screws. Sold in packs of 2.



	Inc.vat	Ex.vat	Code
150mm - Pkt 2	£3.14	£2.62	503457
80mm - Pkt 2	£2.15	£1.79	503456

Festool DOMINO Jointing System

Festool DOMINO

The 'DOMINO' is a unique jointing system using rounded loose tenons to join timber giving very strong accurate and precise joints. Combining exceptional versatility with simple handling for maximum precision, the DOMINO has a patented routing principle with a wide range of adjustment options that make it extremely easy to use. Fully adjustable fences allow you to cut with perfect alignment, single or multiple holes which can be either central or offset holes with perfect alignment. The first DOMINO cut is exact, while subsequent holes have a small amount of play to allow for the joint to be aligned effortlessly. The result is a stable joint, secure from the first dowel. The DOMINO has expanding glue pockets and lateral/longitudinal grooves to give the dowel a secure grip. There are two models available: the DF500; and bigger brother the DF700.



230V

FESTOOL
3 year
Warranty

Festool DOMINO DF 500 Q-Plus Jointing Machine

The DF500 is suitable for a host of jointing tasks in solid timber and manmade boards, use to make frames and panels, providing a strong joint overcoming many difficult jointing problems. Cabinet making, shop fitting and the home workshop will all benefit. Cut a DOMINO dowel up to 10mm x 50mm in length mm (25mm pocket) 5 pre set timber thicknesses and manually adjusted for other thicknesses, 5 pre set angles and is also infinitely variable between 0 and 90°. There are retractable stops for accurate positioning from the edge of the workpiece. There are 6 different sizes of DOMINO available.

Available as either Plus or Set versions both supplied with DOMINO and SYS 3 T-LOC Systainer case:

Q-Plus complete with the D5 cutter and support bracket.

Q-Set complete with D5 cutter, support bracket, trim stop and cross stop.



Support bracket in use giving extra stability

Domino in use (fitted with extraction hose not supplied)



	Inc.vat	Ex.vat	Code
Domino DF 500 Q-Plus Jointer 230V	£599.94	£499.95	574256
Domino DF 500 Q-Set Jointer 230V	£649.94	£541.62	931722

Comparison Chart - Festool DOMINO Jointing System

Model	DF 500 Q-Plus	XL DF 700 EQ-Plus
Rating	Industrial	Industrial
Power	420W	720W
Speed	24,300rpm	21,000rpm
Dowel sizes	4 x 20mm to 10 x 50mm	8 x 40mm to 14 x 40mm
Cutter depth stops	12, 15, 20, 25 and 28mm	15-70mm
Height Adjustment with Scale	5-30mm	10-50mm
Movable Stepped Stops	16, 20, 22, 25, 28, 36 and 40mm	10, 15, 20, 30 and 40mm
Domino Cutter Sizes	4, 5, 6, 8, 10mm	8, 10, 12 and 14mm
Weight	3.2kg	5.2kg



FESTOOL

Online
VIDEO
available

FESTOOL
3 year
Warranty
Registration reqd

230V

Festool DOMINO XL DF 700 EQ-Plus Jointing Machine Set

The bigger brother to the DF 500, the DF 700 will cut larger DOMINO holes, with the same precision. It is perfect for making strong joints in furniture, door construction and many other solid wood projects. It will cut a DOMINO 14mm x 140mm in length (70mm pocket) with quick adjustment for different material thickness, taking cutter sizes 8, 10, 12 and 14mm. It has a variable depth stop (15-70mm) and a tilting fence (0-90°) DOMINO dowels are available in solid beech or Sipo dowels for exterior use that are mould and insect resistant.

Supplied as a set version complete with: D12 cutter, support bracket and Systainer T-LOC case SYS 5.



Accurate large stable fences

Thin pieces from 12mm can be connected.

Precise rail jointing

Graduated fence for mitre jointing.

Retractable stops for accurate positioning from edge of the workpiece

	Inc.vat	Ex.vat	Code
XL DF 700 DOMINO Jointer 230V	£824.95	£687.46	501632

Fully supporting fence

Festool Unique DOMINO Jointing System



Festool DOMINO DF500 Dowel Packs

Beech wood dowels for use with the Festool DF 500 or DF700 DOMINO Jointing Machine. There are 6 different sizes of DOMINO available.

Bulk discount available

	Inc.vat	Ex.vat	Code
Dowel 4 x 20mm (Pkt 450)	£10.94	£9.12	211260
Dowel 5 x 30mm (Pkt 300)	£10.94	£9.12	931282
Dowel 5 x 30mm (Pkt 1,800)	£58.94	£49.12	493296
Dowel 6 x 40mm (Pkt 190)	£10.94	£9.12	931283
Dowel 6 x 40mm (Pkt 1,140)	£58.94	£49.12	493597
Dowel 8 x 40mm (Pkt 130)	£10.94	£9.12	931284
Dowel 8 x 40mm (Pkt 780)	£58.94	£49.12	493298
Dowel 8 x 50mm (Pkt 100)	£10.94	£9.12	931285
Dowel 8 x 50mm (Pkt 600)	£58.94	£49.12	493299
Dowel 10 x 50mm (Pkt 85)	£10.94	£9.12	931286
Dowel 10 x 50mm (Pkt 510)	£58.94	£49.12	493300

Festool DOMINO DF500 Dowel Cutters

Festool DOMINO dowel cutters for use with the Festool DF 500 Jointing Machine. There are 5 different sizes of cutters available. 4, 5, 6, 8 and 10mm.



	Inc.vat	Ex.vat	Code
Domino Cutter 4mm	£27.95	£23.29	211259
Domino Cutter 5mm	£23.75	£19.79	493490
Domino Cutter 6mm	£23.94	£19.95	493491
Domino Cutter 8mm	£25.25	£21.04	493492
Domino Cutter 10mm	£28.25	£23.54	493493

FESTOOL

Festool DOMINO XL DF700 Dowel Cutters

Festool XL DOMINO dowel cutters for use with the Festool XL DF700 Jointing Machine. There are 4 different sizes of cutters available: 8, 10, 12 and 14mm.



	Inc.vat	Ex.vat	Code
XL DOMINO Cutter 8mm	£33.44	£27.87	501636
XL DOMINO Cutter 10mm	£35.75	£29.79	501637
XL DOMINO Cutter 12mm	£37.44	£31.20	501638
XL DOMINO Cutter 14mm	£39.95	£33.29	501639

FESTOOL

Festool DOMINO Assortment 1060

An assortment of DOMINO beech wood dowels plus 4, 5, 6, 8 and 10mm cutters for the DF 500 DOMINO machine. Includes 1,060 DOMINO dowels in the following sizes altogether in a Festool SYSTEMAINER® T-LOC case: 4mm x 20mm, 5mm x 30mm, 6mm x 40mm, 8mm x 40mm, 8mm x 50mm and 10mm x 50mm.



	Inc.vat	Ex.vat	Code
Dowel and Cutter Set in T-LOC	£149.94	£124.95	501843



Festool DOMINO XL DF700 Beech Dowel Packs & Sipo Beech Dowel Rods

Beech wood dowels for use with the Festool XL DF 700 DOMINO Jointing Machine.

Solid beech in 8 different sizes and also available special weatherproof Sipo solid beech wood dowel rods, resistant to insects and mould, and especially made for exterior applications. cut to length to suit. Sipo are in 750mm lengths.

	Inc.vat	Ex.vat	Code
Beech Dowel 8 x 80mm (Pkt 190)	£29.94	£24.95	501640
Beech Dowel 8 x 100mm (Pkt 150)	£29.94	£24.95	501641
Beech Dowel 10 x 80mm (Pkt 150)	£29.94	£24.95	501642
Beech Dowel 10 x 100mm (Pkt 120)	£29.94	£24.95	501643
Beech Dowel 12 x 100mm (Pkt 100)	£29.94	£24.95	501644
Beech Dowel 12 x 140mm (Pkt 90)	£29.94	£24.95	501645
Beech Dowel 14 x 100mm (Pkt 80)	£29.94	£24.95	501646
Beech Dowel 14 x 140mm (Pkt 70)	£29.94	£24.95	501647
Sipo 12 x 750mm Dowel Rod (Pkt 22)	£76.94	£64.12	501654
Sipo 14 x 750mm Dowel Rod (Pkt 18)	£76.94	£64.12	501655

FESTOOL



Festool XL DOMINO Assortment & Cutters D8 & D10 for DF 700

For the XL DF 700 jointer, an assortment of 306 DOMINO solid beech wood dowels and 2 XL cutters 8 and 10mm. Packed in a Festool T-LOC Systainer SYS2 case. Contains the following DOMINO sizes: 8 x 50mm, 8 x 80mm, 8 x 100mm, 10 x 50mm, 10 x 80mm and 10 x 100mm.

	Inc.vat	Ex.vat	Code
XL DOMINO Assortment & D8, D10 Cutters, T-LOC Case	£134.94	£112.45	501634

FESTOOL

Online VIDEO available

Festool XL DOMINO Assortment & Cutter D14 for DF 700

For the XL DF 700 jointer, an assortment of 128 DOMINO solid beech wood dowels and XL 14mm cutter. Packed in a Festool T-LOC Systainer SYS2 case. Contains the following DOMINO sizes: 12 x 100mm pack of 40, 12 x 140mm pack of 40, 14 x 100mm pack of 16 and 14 x 140mm pack of 32.

	Inc.vat	Ex.vat	Code
XL DOMINO Assortment & D14 Cutter, T-LOC Case	£119.94	£99.95	501635

Accessories


Festool DOMINO Machine accessories DF500 and DF700

Various accessories increase the versatility of the DOMINO:

Cross stop which is used for repeat hole spacing between 100 and 205mm without the need for marking the work.




Trim stop to help align narrow wooden strips between 22 and 70mm centrally, plus it can also be used for mitre cuts.



Handrail fence: designed for use on round workpieces with a diameter of 35 - 60mm. This fence attaches to the tilting base on the jointer without the need for tools, long holes can be routed quickly for the Domino dowels, which are suitable for both straight and mitred joints.



Additional stop for reducing dowel centre from 37 to 20mm. This can be used to add surface area to the face of the Domino to increase stability during use (Fits DF500 only)



Accessories shown fitted to machines

	Inc.vat	Ex.vat	Code
Trim Stop	£35.94	£29.95	493487
Cross Stop	£37.44	£31.20	493488
Handrail Fence	£29.94	£24.95	701449
Additional DF Stop	£17.94	£14.95	211253


***SAVE with a bulk discount** – see online axminster.co.uk or call 03332 406406

AXMINSTER 309

Dowelling Jigs

Dowelling Jigs

The dowel is perhaps the simplest way of forming a joint, whether edge, butt, lap, tee or mitre joint. All that is required is the accurate marking and drilling of the holes to take the dowel. Jigs are designed to make the jointing process as accurate as possible.



Wolfcraft Dowelmaster Jig

A simple jig and extremely easy to use, suitable for producing E, L and T joints with either 6mm, 8mm or 10mm dowels in material up to 30mm thick. Simply hold the jig in place and place the drill bit in the correct sized hardened steel drill bush for an accurate joint every time. One benefit of the Dowelmaster over other jigs is that it automatically positions the hole in the centre of the timber.


	Inc.vat	Ex.vat	Code
Dowelmaster Jig	£19.94	£16.62	910385

Wolfcraft Universal Dowelling Jig

An alloy jig with hardened steel bushes which will produce E, L and T joints with either 6mm, 8mm or 10mm dowels. Somewhat different to the Dowelmaster in that it has a clamp included which allows the work to be accurately located and drilled for greater degrees of accuracy. The jig is supplied complete with two clamps to ensure that the work cannot move when clamped and is equally spaced-especially useful when drilling large boards. Best used with a (lip and spur) dowel drill and depth collar. All-round accuracy in work up to 30mm thick.



	Inc.vat	Ex.vat	Code
Dowelling Jig	£49.94	£41.62	910384



Axminster No.1 Dowelling Jig

Form either E or L joints in timber up to 32mm (1.1/4") thick. This aluminium extrusion jig slides on steel bars and the bushes are made from hardened steel and are replaceable. A clamp is provided on the main part of the jig for holding the timber during drilling and also a second clamp for securing the boards together whilst the position of the jig is being adjusted. Holes are drilled in both boards at the same setting so an accurate line-up guaranteeing. This jig produces an excellent result. Accommodates 6mm, 8mm and 10mm dowel holes. Supplied with hardened steel bushes for 6mm, 8mm and 10mm dowels.

	Inc.vat	Ex.vat	Code
No.1 Dowelling Jig	£39.44	£32.87	410233
Replacement Bushes	£11.34	£9.45	410234



Dowel Points & Bits

Dowel points provide a means of accurately transferring the position of holes. The best type of drill to use is a lip and spur bit. Also available are drill collars to accurately gauge the depth of the drilled hole. Air dried beechwood pre-cut fluted dowels available in 6, 8 and 10mm packs.

	Inc.vat	Ex.vat	Code
4 of Points 6mm	£1.44	£1.20	910378
4 of Points 8mm	£1.64	£1.37	910379
4 of Points 10mm	£1.94	£1.62	910380
Drill & Collar 6mm	£5.24	£4.37	910368
Drill & Collar 8mm	£5.75	£4.79	910369
Drill & Collar 10mm	£6.74	£5.62	910370
Collars 6, 8 & 10mm	£2.24	£1.87	910371
6mm HSS M2 Drill Bit	£5.15	£4.29	502136
8mm HSS M2 Drill Bit	£7.04	£5.87	502137
10mm HSS M2 Drill Bit	£9.24	£7.70	502138
Drill, Collar, Points & 26 Dowels 6mm	£5.45	£4.54	910381
Drill, Collar, Points & 24 Dowels 8mm	£6.24	£5.20	910382
Drill, Collar, Points & 20 Dowels 10mm	£6.84	£5.70	910383
Dowel 6mm x 30mm, (Pkt 200)	£6.44	£5.37	910372
Dowel 6mm x 30mm, (Pkt 1,000)	£29.94	£24.95	910373
Dowel 8mm x 40mm, (Pkt 150)	£6.95	£5.79	910374
Dowel 8mm x 40mm, (Pkt 900)	£38.94	£32.45	910375
Dowel 10mm x 40mm, (Pkt 120)	£6.95	£5.79	910376
Dowel 10mm x 40mm, (Pkt 960)	£49.94	£41.62	910377



Veritas Dowel Cutters

Obtaining dowels to perfectly match a project or specific species of timber is, to say the least, almost impossible. Not so if you own a Veritas dowel cutter and have a few timber off-cuts to hand. These cutters can be used two ways. They can be used like a hand-held pencil sharpener, to put accurate tenons on the tips of turnings or on rustic furniture components. Alternatively using a cordless drill, you need only cut square stock slightly oversize (1.5mm is ample) and use a square socket (with a 3/8" square drive for the 3/8" and 7/16" cutters or a 5/8" square drive for the 1/2" cutter with a 1/4" hex adaptor - available separately) to power the stock through the dowel cutter. The carbon-steel blade in the plated zinc alloy body is adjustable. Works equally well in soft, green or hard woods. The curved blade is relatively easy to sharpen when required. Imperial sizes only available 3/8" (9.5mm), 7/16" (11mm) and 1/2" (12.7mm).

	Inc.vat	Ex.vat	Code
3/8" (9.5mm)	£36.44	£30.37	202380
7/16" (11mm)	£36.44	£30.37	202381
1/2" (12.7mm)	£36.44	£30.37	202382



Lie-Nielsen Dowel Plates

The right tool to choose if you wish to make exact sized dowels from any solid timber. The dowel plate is a 130mm (5.1/8") x 38mm (1.1/2") rectangle, 6.3mm (1/4") thick, surface ground A-2 cryogenically treated tool steel. A very humble looking but nonetheless a very precise tool. The holes are machined with a 6° clearance on the underside but are straight for the first 0.025". The tool can be sharpened many times without any change in the size of the holes, but quite frankly at 60 Rockwell it is doubtful whether it will ever need sharpening. Both metric and imperial plates are available, to cut 3mm, 4mm, 6mm, 8mm, 10mm, 12mm & 16mm dowels or 1/8", 3/16", 1/4", 5/16", 3/8", 1/2" & 5/8" in imperial sizes. A leather wallet to protect your dowel plate is also available.

	Inc.vat	Ex.vat	Code
Metric Dowel Plate	£49.94	£41.62	421066
Imperial Dowel Plate	£49.94	£41.62	421065
Dowel Plate Wallet	£13.44	£11.20	100746



Beechwood Dowelling 498mm Lengths

High quality beech dowelling in 498mm lengths, plain or fluted. A question often asked is why have flutes? This is to allow the passage of air and excess glue out of the hole as you insert the dowel to avoid compression.

	Inc.vat	Ex.vat	Code
3mm Plain Dowel Pkt 10	£3.44	£2.87	503042
4mm Plain Dowel Pkt 10	£3.44	£2.87	503043
5mm Plain Dowel Pkt 10	£3.95	£3.29	503044
6mm Plain Dowel Pkt 10	£4.94	£4.12	503045
8mm Plain Dowel Pkt 10	£4.94	£4.12	503046
10mm Plain Dowel Pkt 10	£6.44	£5.37	503047
12mm Plain Dowel Pkt 10	£8.45	£7.04	503048
14mm Plain Dowel Pkt 10	£10.74	£8.95	503049
16mm Plain Dowel Pkt 2	£2.94	£2.45	503050
18mm Plain Dowel Pkt 2	£4.74	£3.95	503051
20mm Plain Dowel Pkt 2	£5.24	£4.37	503052
25mm Plain Dowel Pkt 2	£7.25	£6.04	503053
6mm Fluted Dowel Pkt 10	£4.25	£3.54	503054
8mm Fluted Dowel Pkt 10	£5.24	£4.37	503055
10mm Fluted Dowel Pkt 10	£6.44	£5.37	503056
12mm Fluted Dowel Pkt 2	£1.99	£1.66	503057
14mm Fluted Dowel Pkt 2	£2.54	£2.12	503058
16mm Fluted Dowel Pkt 2	£2.94	£2.45	503059

Tenon Cutters

For full details please refer to the 'Drilling Section'




Lamello Invis the Invisible Connector

Invis the totally invisible joint that requires no glue or screws, is very strong and can be dis-assembled at any time.


Invis is a very clever 2 part connector that will totally revolutionise the way you work and will overcome many jointing problems. No need to clamp, no visible signs on your work and you can take apart whenever you need with the special MiniMag drive box.

Working like a dowel, it is in 2 parts with a central male and female thread and a coarse outer thread which is screwed into a pre-bored hole. Bring the two components together and using the special 'MiniMag' box in a power drill, lay this horizontal to the joint and forward spin to tighten the connector together resulting in a solid joint. To disassemble reverse the drill and undo – simple, quick and easy. Both the stud and joiner stay flush with the joint edge so no damage can occur in transport.

The Lamello Rasto drill jig is designed to be used when drilling Invis connectors. This simple and easy to use jig requires no marking or measuring for precision jointing every time, working like magic.



Worktop jointing, the connector 'bites' as it is driven into the joint



The rotating field of the Invis driver pulls the connector together resulting in a solid joint



Lamello Invis Mx Starter Kit with 20 connectors

The Invis starter kit contains the special MiniMag MX driver that attaches to any power drill running speed 1200–1500rpm with accessories and fittings.

Supplied with: MiniMag Mx magnetic driver, two driver bits, flexi shaft for tight corners, 20 Invis connectors and storage case.

	Inc.vat	Ex.vat	Code
Starter Kit with 20 Connectors	£259.94	£216.62	952354

Lamello Invis Mx Flexi Shaft

Fitting between the MiniMag Mx and your drill allowing you to get into small areas and angles with the drill away from the work surface.

	Inc.vat	Ex.vat	Code
Invis Mx Flexi Shaft	£35.45	£29.54	212611



Lamello MiniMag Mx & Driver Bit

The MiniMag Mx houses the rotating magnet that drives the jointing connectors of the Lamello Invis system, it attaches to any standard drill and running at between 120 – 1500rpm. Supplied with a special screwdriver bit to screw the Invis connectors into the drilled holes. Spare driver bits also available.

	Inc.vat	Ex.vat	Code
MiniMag Mx & Driver Bit	£89.94	£74.95	212605
Invis Mx Screw Driver Bit	£13.74	£11.45	212612

Lamello Invis Connectors

A range of Invis connectors

Invis MX Connector Set

A stud and jointing element, both 12mm in diameter with a coarse outer thread that will 'bite' into the drilled 12mm hole. The internal threaded stud is 14mm in length and the threaded jointing element is 30mm.

Invis Jointing Element

The jointing element is the male part of the Invis connector.

Invis MX Stud

Long 30mm connector with stud for a stronger hold in materials like particle boards.

Invis MX Centre Wall Stud

Longer version of the standard 14mm stud part of the Invis connector which allows the jointing of two items such as shelves through a maximum 30mm upright. 30mm of the stud length is not threaded and left plain.

Invis Pinlock

This is a pin lock device, instead of using the 2 part Invis connector this has a retractable pin that is driven by the MiniMag MX. Suitable for fitting wall and ceiling panels, access holes, plinths and infills. Hole for fitting 8 x 41mm, hole for pin 5 x 12mm.

Invis Connecting Screw

M5 x 17mm connecting screw with left hand thread for use with the Invis stud.


	Inc.vat	Ex.vat	Code
Connector Set Pkt of 20	£81.95	£68.29	950893
Invis Jointing Element pack 30	£109.94	£91.62	501845
Invis Mx Stud 30mm Pkt 10	£36.95	£30.79	212610
Centre Wall Stud 30mm Pkt 10	£40.94	£34.12	212609
Invis Pinlock Pack 10	£20.45	£17.04	950329
Invis Connecting Screw Pkt 30	£8.94	£7.45	501844



Axminster 12mm Drill Guide Bush

Use to make your own drilling jig, great for accurate drill positioning especially dowelling. This two part threaded drill guide can be fixed into a piece of MDF by boring a 20mm hole in the jig and screwing the guide bush in place. Drill a 12mm dowel hole, unscrew and reposition on the opposite side to drill the mirror hole for accurate dowelling. The jig is used as a positioning guide, more than one guide bush can be used. Suitable for duplicate holes, the simple design of this guide makes it ideal for many tasks including aligning dowels when jointing worktops. Sold individually. Suitable for the Lamello Invis invisible clamping system.

	Inc.vat	Ex.vat	Code
12mm Threaded Guide Bush (1)	£9.95	£8.29	952355



Online VIDEO available



Accurate hole alignment using reference pins

Accurate hole alignment using reference pins, drill bush is reversed for mating hole to be drilled

Lamello Rasto Drilling Jig Kits

A very clever jig that allows you to accurately position holes and mirror on an opposite member if required for dowelling. Simple to use, the secret is in the precision with which the jig has been made ensuring accurate hole position every time.

Pins and a network of holes in the jig are used as reference stops against your work so no matter what the shape the hole position can be repeated. Simply choose the correct drill bush and screw this into the jig so that it will guide your drill bit. Once drilled, remove pins and bushes, relocate in the same holes, protruding from opposite side of the plate, this then guides the plate and drill in place for an exact mirror hole position.

Available in two formats:



Basic Kit contains: 1 Drill plate, 3 guide pins, 4 drill guides 5, 8, 10 and 12mm and fixing screw.



Duo Kit contains: 2 Drill plates, 6 guide pins, 3 drill bits 5, 8 and 12mm diameter with stop collars, 8 guide bushes 2 each 5, 8, 10 and 12mm a connecting rod and length stop, spacing sleeve and 2 fixing screws all packed in a Systainer case for storage.



Duo kit for simple repeatable alignment of two dowel holes

	Inc.vat	Ex.vat	Code
Jig Basic Kit	£114.95	£95.79	212514
Jig Duo Kit	£344.94	£287.45	212604
Collars 6, 8 & 10mm	£2.24	£1.87	910371
5mm HSS M2 Drill Bit	£4.94	£4.12	502135
8mm HSS M2 Drill Bit	£7.04	£5.87	502137
10mm HSS M2 Drill Bit	£9.24	£7.70	502138
12mm HSS M2 Drill Bit	£12.84	£10.70	502139

Dowelling Jigs



Miller Birch Dowel Joinery Kits

Make strong precise joints with speed and ease. Use for making furniture and cabinets.

The innovative stepped and ribbed form of these dowels (or maybe they should be called wooden nails) keeps the glue where you want it, in the joint, without the problem of compression experienced in ordinary dowel joints. The ribs grip the sides of the stepped pockets as they swell with the glue to lock them in place.

The procedure is simple:

Clamp or hold together the pieces to be joined.

Drill the stepped hole with the Miller 'TruFit' drill bit.

Spread a thin layer of glue on the ribbed section.

Tap the dowel into the hole until fully seated.

Trim off and sand level - Miller dowels are self capping

TOP TIP for an interesting effect, use a Miller Dowel which contrasts with the host timber


Available in three sizes, the starter packs are complete with a unique stepped drill bit for an exact fit and a supply of the Birch dowels.

Mini Kit (6.5 diam. x 41.5) for timber 12 - 14mm thick.

Standard Kit '1X' (10.5 diam. x 70mm) for timber 16 - 25mm thick.

Large Kit '2X' (12.8 diam. x 90mm) for timber up to 32mm thick.

Dowels packs available for each size in Birch, Cherry, Oak and Walnut.



Drill with required size Miller Bit

Glue and insert stepped dowel

Tap dowel home

	Inc.vat	Ex.vat	Code
Mini Kit c/w 100 Birch Dowels	£21.24	£17.70	300589
Standard Kit c/w 40 Birch Dowels	£24.44	£20.37	300590
Large Kit c/w 50 Birch Dowels	£29.24	£24.37	300060
Mini Dowels Birch (100)	£12.44	£10.37	300503
Mini Dowels Oak (100)	£14.75	£12.29	300534
Mini Dowels Walnut (100)	£22.25	£18.54	300558
Standard Dowels Birch (40)	£7.34	£6.12	300480
Standard Dowels Oak (40)	£8.75	£7.29	300435
Standard Dowels Walnut (40)	£12.95	£10.79	300459
Standard Dowels Cherry (40)	£10.94	£9.12	300411
Standard Dowels Birch (100)	£17.24	£14.37	475640
Standard Dowels Oak (100)	£21.44	£17.87	475432
Large Dowels Birch (40)	£9.14	£7.62	300497
Large Dowels Oak (40)	£11.45	£9.54	300442
Large Dowels Oak (100)	£26.94	£22.45	475190
Mini Stepped Drill Bit	£10.74	£8.95	476813
Standard Stepped Drill Bit	£18.24	£15.20	476062
Large Stepped Drill Bit	£20.94	£17.45	475760

Biscuit Joiners



NEW!

Makita DJP180Z Cordless Biscuit Joiner 18V (Body Only)

A powerful cordless biscuit joiner with all the features and benefits of a mains machine but without a cable to restrict use. Compact and lightweight in design with a slim body grip for the best control. Easy to set up with a choice of 6 pre-set cutting depths, the fence has positive stops at 0, 45° and 90° for angle work. The additional front fence is adjusted accurately for height with rack and pinion locking securely. Fitted with motor current limiter and anti-restart function. The rotating dust nozzle can be used with dust bag (supplied) or with extraction hose. There is a spindle lock button and the blade cover opens for fast blade changing. Part of the 18V Makita family of tools.

Supplied as body only (without batteries, charger and case)

Note: Model number starting with letter 'D' has 'Star' imprint on connector plate for full communication to a Makita battery also with a 'star'.

Makita
3 year
Warranty
Registration req'd

Part of the
Makita
18V
family

Powered by
Li-Ion
Battery
Technology

	Inc.vat	Ex.vat	Code
DJP180Z Biscuit Joiner (body only)	£214.94	£179.12	506184



Makita PJ7000 Biscuit Joiner

This machine will make the jointing process simple. It is compact, light in weight and well thought out with adjustable fences and clear scales. It plunges smoothly in vertical, horizontal or angled work faces. The fence is clearly marked so you can line up the cut. It has a tilting base with quick locking lever and positive stops at 0, 45 and 90°. The self-aligning front fence is set for height quickly and is finely adjusted with the rack and pinion adjuster wheel. Blade depth is controlled with a swivelling stepped turret for quick control. There are six stops which can be adjusted for different biscuit and fitting depths, this can be adjusted more finely with a lockable screw if required. Dust extraction is via the supplied dust bag or a hose can be fitted to the 30mm outlet. A blade lock aids blade changing.

Complete with TCT blade, dust bag, slip on fence plate, spanner and storage case

Makita
3 year
Warranty
Registration req'd

230V

	Inc.vat	Ex.vat	Code
PJ7000 Biscuit Joiner 230V	£279.95	£233.29	501866



Bosch GFF 22A Biscuit Joiner

BOSCH

BOSCH
3 year
Warranty
Registration req'd

230V

- Smooth plunging action
- Easy locking tilting fence
- 670W motor
- Easy access to depth settings
- Blade lock for easy blade change
- Pre set depth stops for 0, 10 and 20 biscuits

Supplied complete with dust bag and carrying case.

	Inc.vat	Ex.vat	Code
GFF22A Joiner 230V	£309.95	£258.29	500306



DEWALT

230V

DeWalt DW682K Biscuit Joiner

The DW682K is powered by a 600W industrial rated motor. The adjustable fence can be angled and locked anywhere in its 90° arc of travel and raised or lowered on a smooth running rack and pinion type mechanism with micro-adjustable depth control. Blade depth is controlled by a four position turret, with three pre-sets for 0, 10 and 20 biscuits. The fourth position gives the maximum cutting depth of 20mm for grooving, further increasing the joiner's versatility. Anti-slide grippers, eight guide notches and a fence window all help positioning for accuracy.

Supplied with carry case and dust bag.

	Inc.vat	Ex.vat	Code
DW682K Joiner 230V	£199.96	£166.63	610737

Comparison Chart - Biscuit Joiners

Model	DJP180Z	PJ7000	GFF 22A	DW682K
Rating	Industrial	Industrial	Industrial	Industrial
Speed	10,000rpm	10,000rpm	9,000rpm	10,000rpm
Power	Cordless	700W (230V)	670W (230V)	600W (230V)
Tilting Base	Yes	Yes	Yes	Yes
Battery No/Capacity	Not Supplied	-	-	-
Battery Voltage/Type	18V Li-Ion	-	-	-
Charge Time	22 mins	-	-	-
Dust Extraction	Outlet / Bag	Dust Bag	19mm Outlet / Bag	35mm Outlet / Dust Bag
Weight	3.2kg with battery fitted	2.5kg	2.9kg	3kg

Lamello

Lamello are known as the experts in biscuit jointing with over 50 years of experience and are the originators of the biscuit joint. Lamello have developed a range of biscuit joiners and jointing connectors making a complete system to satisfy the needs of anyone needing to joint material. Based in Switzerland the Company is dedicated to precision and innovation developing the very latest techniques for the perfect joint.



Lamello TOP21 Biscuit Joiner

The TOP21 is an upgraded version of the TOP20 and features a height adjustable blade for greater precision. Fitted with a newly designed base and fences that side align this has to be the ultimate in biscuit jointing from the inventors of the biscuit joiner Lamello. Precise in every way, it is very easy to set cutter and fences for exact placement on your work. The cutter can be adjusted for height as well as having 6 preset depth settings. The fences on the TOP21 have been redesigned so that they are flush on the sides for easier positioning; the angle stop/extending front fence is for mitre joints 0-90° with detents 22.5°, 45°, 67.5° and 90°, the square fence stop is used for stability and runs parallel locking squarely with a quick lever. The soft start 800W electronic motor has no fall off in speed irrespective of the load, the plunge action is extremely smooth, and the blade has scoring teeth for the cleanest cutting action. Overall this has to be the ultimate jointer available today.

The machine is supplied with: dust bag, 2 dust extraction connectors 23 and 36mm, fence slip on plate 4mm, tool kit and solid wooded beech storage case.

	Inc.vat	Ex.vat	Code
TOP21 Biscuit Joiner 230V	£969.95	£808.29	952713
2mm Slip On Plate	£12.74	£10.62	702313



Lamello Biscuits

Lamello precision biscuits are made from pressed solid beech to a very high standard and hold their tolerance. The biscuits are slightly compressed in manufacturing, so that on contact with the glue they expand tightly into the joint. Standard sizes are: No. 0 - 47 x 15 x 4mm, No. 10 - 53 x 19 x 4mm and No. 20 - 56 x 23 x 4mm.

	Inc.vat	Ex.vat	Code
400 Mixed (240 x 20s, 80 ea 10s & 0s)	£30.44	£25.37	610920
1000 Mixed (500 x 20s, 250 ea 10s & 0s)	£56.45	£47.04	600113
No. 0 Biscuits (Pkt 80)	£5.75	£4.79	144500
No. 10 Biscuits (Pkt 80)	£5.75	£4.79	144510
No. 20 Biscuits (Pkt 80)	£5.75	£4.79	144520
No 0 (Box 1,000)	£30.44	£25.37	340944
No 10 (Box 1,000)	£30.95	£25.79	340946
No 20 (Box 1,000)	£30.95	£25.79	340948



Lamello Classic X Biscuit Joiner

The Classic X is the successor of the very well known C3 biscuit joiner and features new upgrades to further enhance this leading jointer with a more powerful motor and fences with side alignment. Swiss made with a 780W industrial motor. CNC machined fences give accurate alignment, so you can take full advantage of connectors that can be glued, self-clamped or be detachable.

The main features are a swivelling front stop and the stop square. Both sides of the fences are flush for simple alignment. The multifunctional stop square gives more stability when working vertically, allowing variable height positioning and instantly aligns 22.5° and 45° angles. The swivelling base can be set at any point between 0 - 90° (22.5°, 45°, 67.5° and 90°) and used with or without the stop square for angle locations. If this fence is mounted on the fixed base and the swivel set at 90°, a very secure platform is established for narrow edge work. Scales on both the angle and height adjustment are in metric and a very clear central marker is embossed into the baseplate. There is a choice of six preset depths for the common biscuit/connector sizes with further fine adjustable if required. The body of the machine is slim with a positive 'D' handle for the best grip.

The machine is supplied with a 36mm suction stub, stop square, 4mm spacer, tool set and manual.

	Inc.vat	Ex.vat	Code
Classic X Joiner 230V	£449.94	£374.95	503650
Classic X Joiner 110V	£449.94	£374.95	503651
2mm Slip On Plate	£12.74	£10.62	702313

Comparison Chart - Lamello Biscuit Joiners			
Model	TOP21	Classic X	
Rating	Industrial	Industrial	
Power	800W	780W	
Tilting Base	Yes	Yes	
Dust Extraction	23mm Outlet / Bag	36mm Outlet	
Weight	3.3kg	3.0kg	



Lamello S6 Large Biscuit

The largest Lamello biscuit is the S6, 85mm in length and 30mm in width. Having the same thickness as the 0, 10 and 20 biscuits of 4mm, this larger biscuit will give greater strength for larger items.

	Inc.vat	Ex.vat	Code
Box 40	£5.75	£4.79	202274



Lamello H9 Small Biscuits

H9 are smaller than normal biscuits, 38 x 12mm and thinner at only 3mm. They require a 78mm diameter cutter.

	Inc.vat	Ex.vat	Code
Box 250	£16.25	£13.54	202275
H9 Blade for 3.0mm biscuits	£109.94	£91.62	132009



Leo European Wooden Beech Biscuits

The European made Leo biscuit is made to a high standard from compressed beech, designed to uniformly expand when in contact with glue to fit tightly into a biscuit slot and give a strong firm biscuit joint. Available in packs of 1000 and in two sizes; No. 10 (53 x 19 x 4mm) or No. 20 (56 x 23 x 4mm)

	Inc.vat	Ex.vat	Code
No 10 (Box 1,000)	£23.94	£19.95	211264
No 20 (Box 1,000)	£23.94	£19.95	211265



Online
VIDEO
available

Lamello Self Clamping Biscuit E20

These strong self clamping inserts that fit the biscuit joint slot.

- Specially shaped barbed ridge creates the clamping action and locks the components
- Pulls joint together and holds the timber components while the glue cures
- Uses No 20 biscuit slot
- Glass fibre reinforced plastic for rigidity and durability
- Hammer home dry, just glue surrounding joint
- Use to hold mitre, 'T' and butt joints

E20H measures 27 x 23 x 4mm and is suitable for timber deeper than 35mm

E20L measures 56 x 11.5 x 4mm and is suitable for material in excess of 50mm wide Supplied in a pack of 80

	Inc.vat	Ex.vat	Code
Biscuit E20H (Pkt 80)	£31.44	£26.20	701334
Self Clamping Biscuit E20L (Pkt 80)	£31.94	£26.62	701335

Bulk
discount
available



Online
VIDEO
available

Lamello Clamping Plates K20

A very clever red plastic biscuit with barbs moulded onto the surface. They are used in standard No.20 biscuit slots for dry assembly of joints as a fitting aid for giving workpieces which are difficult to clamp. Used in conjunction with wooden Lamello biscuits, the barbs ensure a secure fit for the plates in the joint.

	Inc.vat	Ex.vat	Code
Clamping Plates (Box 250)	£68.45	£57.04	600112

Bulk
discount
available



Clear biscuits in use

Lamello Clear Plate C20

Special alignment plates made for joining composite manmade materials, such as Corian® or Varicor® etc. They are made from translucent plastic, size 60 x 23 x 4mm, equivalent to a No.20 biscuit.

	Inc.vat	Ex.vat	Code
Clear Plate (Box 250)	£44.94	£37.45	510271



Online
VIDEO
available

Bulk
discount
available

Lamello Duplex Hinges

Curved hinges to exactly match the curvature of the biscuit jointer blade

Quick to fit and in most instances simply lay the door onto the front of the carcass and both hinge recesses can be cut in one plunge. Handed both right hand and left hand. Available in Brass or Nickel.

Supplied in boxes of 20 singles (10 R/H & 10 L/H)

	Inc.vat	Ex.vat	Code
Brass (10 Pairs)	£77.94	£64.95	166003
Nickel Plated (10 Pairs)	£54.95	£45.79	100905



Slide Biscuit
in Place

Lamello Fast Clip In Biscuit Connector

Simple to use, this plastic biscuit simply clips together

- Concealed with quick connection without clamps
- Self cutting edges, tap connector into biscuit slots and push joint together
- Soft wood and some wood composites
- Supplied in packs of 50 pairs, installation tool cut depth clip

	Inc.vat	Ex.vat	Code
Clip In Biscuit (Box 50)	£48.44	£40.37	211263



Secure connector
with screws hidden
in the joint

Tap the joint together,
detachable if required

Integral stop for
blocking release from
one side if required

Lamello Metal Heavy Duty Slide Biscuit Connector

Heavy duty metal biscuit, use as a concealed self clamping connector

- Detachable invisible joint
- Connectors works by sliding joint together
- Metal lugs hold joint, integral stop can block one side
- Screw into place in joint before connection
- Adjustable joint pressure
- For material from 18mm in wood and wood composites

Supplied in packs of 40 pairs connectors, 83 screws of each size 3 x 13mm and 3 x 25mm and a clip for cutting depth

	Inc.vat	Ex.vat	Code
Slide Biscuit H/D (Box 40)	£74.94	£62.45	211262



Bulk
discount
available

Lamello Champ Slide Biscuit Connectors

Concealed self clamping biscuit

- Detachable invisible joint
- Connectors works by sliding joint together
- Assembly of mitres, corners and other various joints
- For thin material from 14mm in wood and wood composites.

Supplied in packs of 50 pairs with installation template

	Inc.vat	Ex.vat	Code
Slide Biscuit (Box 50)	£49.44	£41.20	211261



Lamello Glue Dispenser

Designed to dispense the glue into the groove with no mess, a glue dispenser is a very useful accessory for any biscuit joiner. Two types are offered.

The **MINICOL** glue dispenser consists of a non slip base and a glue bottle with a nozzle specifically shaped to fit the groove. After use the bottle is put back into the base which seals the nozzle, preventing blockage and drying out of the glue.

The **DOSICOL** glue dispenser is a pump action bottle with a nozzle shaped to fit the groove exactly. The pump can be adjusted to dispense precisely the required amount of glue. Supplied complete with stand.

	Inc.vat	Ex.vat	Code
Minicol Dispenser	£39.44	£32.87	600497
Dosicol Dispenser	£75.95	£63.29	410156

Axminster Glue Bottles

- Suitable for PVA and aliphatic resin wood and craft glues



	Inc.vat	Ex.vat	Code
Biscuit Bottle	£2.04	£1.70	500387

Online
VIDEO
available

Timber not
included



Lamello Clamping Set

High quality, fast acting clamping system with protective corners that remove any potential to damage the work in any way. Each corner piece is made of rounded section aluminium extrusion (60mm wide) which acts to spread the load. Onto each extrusion is fitted an elevating corner piece that allows the strap to be passed around the corners without getting in the way. Tension is applied with a clamping bar that tucks in under the strap once full tension has been attained.

Kit supplied with 2 x 8m long tension straps, 4 x 600mm extrusions and a pair of tension hooks.

	Inc.vat	Ex.vat	Code
Clamping Set	£219.95	£183.29	175020

Lamello Clamex S Detachable Connectors

Aligning, connecting and detachable the Clamex connector is very clever, no need for glue and only a small 6mm hole visible on the whole joint the Clamex system is a great way to joint. Cabinet makers, joiners, carpenters, interior fitters, shop and exhibition fitters and people in the furniture industry would all benefit from using Clamex. These are repeatable, detachable connections without noticeable wear. When on site there is minimal assembly time with full prefabrication possible. It is stackable with no protruding parts on the surface and is easy and efficient to install. There are no additional positioning parts such as dowels or tongues required. No torsional movement due to aligning studs. Tolerance lateral ± 0.5 mm (max. ± 0.75 mm) No torsional movement due to aligning studs. Made of fibreglass reinforced plastic with a zinc diecast alloy lever. Size 66 x 29 x 9mm. Groove can be cut with your biscuit jointer fitted with the Clamex HW blade.



Lamello Clamex Pro Kit

This kit contains everything you need for your biscuit jointer as well as jigs and a starter pack of Clamex connectors to make the unique Lamello Clamex S joints. The Clamex jointing element is made up of two halves and aligns and connects at the same time. It can be detached if required so is invaluable for certain projects. All that shows on the assembled joint is a single 6mm hole to allow the hex key to lock and unlock the joint.

The kit contains: Jointing blade HW with reversing blades (100mm x 8mm x 22mm bore) 18 pairs Clamex, drilling jig for 35° - 90° with drill bit, marking jig, 1 hex key and 75 screws

Accessories available separately

Drill jig - For angled joints to drill for locking mechanism, angles 35° - 90° includes drill bit.

Clamex jointer Blade - Carbide tipped (TCT) Reversing blade for 8mm groove, 100 x 22 x 8 mm.

Cover caps - Simple push fit covers to help hide the 6mm hole for the locking mechanism.

	Inc.vat	Ex.vat	Code
Clamex Pro Kit	£289.96	£241.63	718713
S Kit - Box of 18 Pairs, Metal Latch	£39.95	£33.29	211284
Clamex S Drill Jig and 60mm Drill	£109.94	£91.62	702329
S Kit - Box of 80 Pairs, Metal Latch	£153.95	£128.29	211285
Drill jig and HW-Reversing blades cutter	£264.95	£220.79	702311
Clamex HW - Reversing Blades Cutter	£164.94	£137.45	702314
Covercaps Beech (Pkt 100)	£6.74	£5.62	210581
Covercaps Brown (Pkt 100)	£6.74	£5.62	210580
Covercaps Pine (Pkt 100)	£6.74	£5.62	210582
Covercaps White (Pkt 100)	£6.95	£5.79	210578
Covercaps Black (Pkt 100)	£6.74	£5.62	210579

Lamello




Minispot Biscuit Jointer Blade Size 2

Allowing for almost invisible repairs, this blade will fit biscuit jointers and allow you to patch repair such things as sap pockets and splits. Cutting a special tapered slot with a maximum length of 65mm x 8mm wide and 13mm deep. You then insert a Lamello patch and plane/sand flush. Less plunge depth of the blade will result in a shorter repair. The 100mm disc has 4 tungsten carbide industrial cutting teeth, its anti-kick back design ensures safety and its balance and design cleanly cuts. The disc has a 22mm bore. Patches are available in either Pine, Oak or Mahogany.

	Inc.vat	Ex.vat	Code
Size 2 Cutter for Mini Spot Patches	£154.94	£129.12	132217

Axciliber



Axciliber Biscuit Jointer Blade

This Axciliber biscuit jointing blade is 100mm in diameter has 8mm tungsten carbide teeth to produce an accurate biscuit slot. With a 22mm bore, this will fit almost all known biscuit jointers. A high quality blade for trade or professional use.

	Inc.vat	Ex.vat	Code
Biscuit Jointer Blade	£16.44	£13.70	951585



Axciliber Indexing TCT Biscuit Jointer Blade

This biscuit jointer blade has separate indexable blades for both the depth and sides of the cut. This produces a cut without any tears, allowing the biscuit dowel to fit perfectly each time. Each blade has four cutting tips and is replaceable when required. An ideal blade for production purposes, maintaining a perfect cut each time. 100mm x 4mm x 22mm.

	Inc.vat	Ex.vat	Code
Indexing TCT Biscuit Jointer Blade	£104.94	£87.45	501058

Lamello



Lamello Zeta Jointer Blade

Blade for the Lamello Zeta jointer, tungsten carbide tipped groove cutter, 100mm x 7mm x 22mm bore.

	Inc.vat	Ex.vat	Code
Blade For Lamello Zeta Jointer	£114.95	£95.79	952761

Lamello



Lamello Biscuit Jointer Blade

This Lamello tungsten tipped blade is a top of the range industrial quality blade for trade or professional use. Cuts 4mm slot for biscuits and other connectors. Diameter 100mm bore 22mm. (Fits Lamello; Classic C3, TOP20/21 and Zeta as well as many other makes of biscuit jointer)

	Inc.vat	Ex.vat	Code
Blade	£99.95	£83.29	132000



Disposable Tooth Cutter 100 x 4 x 22mm Z4

Disposable Tooth Cutter 100 x 4 x 22mm Z4 for use with the Lamello TOP20S4 Biscuit Jointer.

	Inc.vat	Ex.vat	Code
Disposable Tooth Cutter 100 x 4 x 22mm Z4	£289.94	£241.62	132001

Axciliber



Axciliber Biscuit Jointing Router Cutter Sets

A unique biscuit jointing set that is truly universal, accepting Numbers 0, 10 and 20 biscuits both singly or in pairs for extra strength when making tenon type joints in thicker material. The complete sets comprise 2 x 4mm groovers, 3 x bearings, (one for each of the biscuit sizes) and a 6.3 spacer. 1/4" (6.35mm) shank. Overall diameter 40mm. Cutter thickness 4mm.

	Inc.vat	Ex.vat	Code
Cutter Set - S=1/4" (6.35mm)	£45.95	£38.29	666001
No. 0 Biscuits (Pkt 80)	£5.75	£4.79	144500
No. 10 Biscuits (Pkt 80)	£5.75	£4.79	144510
No. 20 Biscuits (Pkt 80)	£5.75	£4.79	144520
Biscuits (Pkt 400) (240 x 20s, 10s & 0s x 80 ea)	£30.44	£25.37	610920





Cutting the Clamex P slot



Drilling the 6mm hole for the hex key with the jig



Slot in the Clamex P connector

Lamello Zeta P2 T-Slot Biscuit Jointer

**230V
or
110V**
**Online
VIDEO
available**


The Zeta P2 is the second generation Zeta fitted with the new P-system depth adjuster. The Zeta offers more than a standard biscuit jointer, with an undercut function to allow for the fitting of special concealed Clamex P connectors that slide into the 'T' slot produced. The connector also clamps, so no additional clamping methods are required. Almost totally concealed; the only visible sign is a single 6mm hole, making it ideal for many applications such as furniture, shop fitting and exhibitions. It is also suitable for solid wood and manmade boards, overcoming many design issues. Unique to Lamello, the jointer has a special vertical mechanical drive (VMD) engaging when the jointer is at full plunge, moving the cutter up and down in one full turn and only then disengaging to produce the 'T' slot to accept the . The undercut function can be switched off and a 7mm slot will be produced, a 'Bisco' biscuit can then be used. Replace the special blade with a 4mm biscuit blade and use as a standard biscuit jointer. The new P-System depth adjuster has 5 settings for the ever growing range of Clamex connectors and when used with a standard biscuit jointing blade. As with all Lamello, product design and build are of the highest quality. Other features include precise plunge with clear depth setting, jointer fences with flush slides to make positioning simple, the fence fits with vee grooves for accuracy and clear angle scale. **The jointer is supplied in a set with a special 7mm blade, 18 pairs of Clamex, drill bit, drill stop collar, drill guide, suction adaptor and wooden box.**

Model	Zeta		
Rating	Industrial		
Power	800W		
Tilting Base	Yes		
Dust Extraction	Yes		
Weight	3.7		

	Inc.vat	Ex.vat	Code
Zeta P2 Biscuit Jointer 230V	£1,299.95	£1,083.29	502914
Zeta P2 Biscuit Jointer 110V	£1,299.95	£1,083.29	502915
Blade For Lamello Zeta Jointer	£114.95	£95.79	952761

Lamello Zeta Biscuit Connectors

The Lamello P-System offers more than a standard biscuit joint. The special groove is cut by Zeta biscuit jointer (or CNC machine) giving an undercut function to allow for the fitting of special concealed Clamex P connectors that slide into the 'T' slot produced. The connector also clamps, so no additional clamping methods are required. Almost totally concealed; the only visible sign is a single 6mm hole, making it ideal for many applications such as furniture, shop fitting and exhibitions. It is also suitable for solid wood and manmade boards, overcoming many design issues.



Lamello Clamex P Medius Connector for Zeta

For the Lamello Zeta jointer, the Medius is a centre panel connector, allowing you to put them back to back in a board with a minimum thickness of 16mm (max 30mm). Working the same as the Clamex P, 'T' profile, sliding in place, no screws or glue are needed. Overall length is 66mm, one half has a depth of 14.5mm, the other 8mm, it is 7mm in width (10mm o/a with 'T').

	Inc.vat	Ex.vat	Code
Clamex P Medius - Pack 80	£123.95	£103.29	502891
Clamex P Medius - Pack 300	£489.95	£408.29	502892

NEW!


Lamello Tanso P-14 Connector

A self clamping connector with high clamp force. Part of the Lamello Zeta fitting range working with the 'T' slot it self anchors in the 'P' system groove. This invisible fitting simply clamps together offering a tight connection and requires no further clamping, use alone with glue or with other 'P' style connectors. Especially suitable for 90° joints. Groove depth 14mm.

	Inc.vat	Ex.vat	Code
Tanso Connector Pack 80	£55.94	£46.62	506102
Tanso Connector Pack 300	£192.95	£160.79	506103
Tanso Connector Pack 900	£549.95	£458.29	717365

Lamello Clamex P-15/P-10 Connector for Zeta

**Online
VIDEO
available**

Amazing connector with a host of uses. Overcome many design assembly problems with this clamping connector; it is almost totally invisible, only a single 6mm hole shows.

Biscuit shaped fitting with a 'T' profile that slides in place, no screws or glue are needed. Having a pivot lever and two alignment studs, this lever is driven using a hexagon key though the 6mm hole, locking the fitting together forming a very secure joint. The required slot is cut using a Lamello Zeta biscuit jointer specially developed for this application, cutting the slot and adding the 'T' to the bottom using a unique vertical mechanical drive. Made from fibre glass reinforced plastic for strength (Tensile strength 160kg).

P-15 Length is 66mm x width 29mm, half depth 14.5mm, it is 7mm in width (9.7mm o/a with 'T').

P-10 smaller for connecting 13mm panels. Length 52mm x width 19mm, half depth 9.7mm, it is 7mm in width (9.7mm o/a with 'T'). Requires P-10 drill guide.

	Inc.vat	Ex.vat	Code
Clamex P-15 Pack 80	£124.94	£104.12	950817
Clamex P-15 Pack 300	£429.95	£358.29	950818
Clamex P-15 Pack 900	£1,199.95	£999.96	717380
P-15 Drill Jig and 100mm Drill	£129.95	£108.29	503850
Clamex P-10 Pack 80	£106.94	£89.12	503672
Clamex P-10 Pack 300	£369.95	£308.29	503673
Clamex P-10 Pack 900	£1,049.95	£874.96	717381
P-10 Drill Jig and 60mm Drill	£104.94	£87.45	503678

Lamello Bisco Biscuit



Used as an aligning or jointing biscuit, the 7mm thick flat Bisco is designed to work with the P-system groove produced by the Zeta or CNC system, providing alignment for assembly and greater shear strength, it can be glued in place if required. The Bisco is a flat 7mm plastic biscuit and is available in 2 sizes.

Bisco P-15 is 65mm x 27mm (setting 15)

Bisco P-10 is 52mm x 19mm (setting 10)

	Inc.vat	Ex.vat	Code
Bisco P-15 Biscuit Pack 80	£22.94	£19.12	950870
Bisco P-15 Biscuit Pack 300	£69.95	£58.29	950871
Bisco P-10 Biscuit Pack 80	£21.44	£17.87	503848
Bisco P-10 Biscuit Pack 300	£63.95	£53.29	503849